CITY of NOVI CITY COUNCIL



Agenda Item G February 17, 2009

SUBJECT: Approval of the Storm Drainage Facility Maintenance Easement Agreement with McDonald's Corporation for the site located at 42665 Twelve Mile Road, east of Novi Road in Section 14 (Parcel ID No. 22-14-100-057).

SUBMITTING DEPARTMENT: Engineering

CITY MANAGER APPROVAL

BACKGROUND INFORMATION:

McDonald's Corporation has requested approval of the Storm Drainage Facility Maintenance Easement Agreement for the reconstructed McDonald's restaurant site located at 42665 Twelve Mile Road north of Twelve Oaks Mall. The enclosed Agreement has been favorably reviewed by the City Attorney (Beth Kudla's November 21, 2008 letter, attached).

RECOMMENDED ACTION: Approval of the Storm Drainage Facility Maintenance Easement Agreement with McDonald's Corporation for the site located at 42665 Twelve Mile Road, east of Novi Road in Section 14 (Parcel ID No. 22-14-100-057).

| , | 1 | 2 | Y | N |
|-------------------------|---|---|---|---|
| Mayor Landry | | | | |
| Mayor Pro Tem Gatt | | | | |
| Council Member Burke | | | | |
| Council Member Crawford | | | | |

| | .1 | 2 | Y | N |
|-------------------------|----|---|---|---|
| Council Member Margolis | | | 1 | |
| Council Member Mutch | | | | |
| Council Member Staudt | | | | |

Novi, MI L/C:021-0337 File #04937

STORM DRAINAGE FACILITY MAINTENANCE EASEMENT AGREEMENT

THIS EASEMENT AGREEMENT is made this 18th day of November, 2008, by and between, McDonald's Corporation, a Delaware corporation, whose address is One McDonald's Plaza, Oak Brook, Illinois, 60523, Attn: US Legal #091, L/C:021-0337, (hereinafter the "Owner"), and City of Novi, its successors, assigns or transferees, whose address is 45175 W. Ten Mile Road, Novi, MI 48375 (hereinafter the "City").

RECITATIONS:

A. Owner is the owner and developer of a certain parcel of land situated in Section 14 of the City of Novi, Oakland County, Michigan, described on the attached and incorporated **Exhibit A** (the "Property"). Owner has received final site plan approval for construction of a McDonald's Restaurant development on the Property.

B. The McDonald's Development, shall contain certain storm drainage, detention and/or retention facilities, including but not limited to, a detention/sedimentation basin, for the collection, conveyance, storage, treatment and/or discharge of storm water from the Property in accordance with all approved plans, and all applicable ordinances, laws and regulations.

NOW, THEREFORE, the Owner hereby covenants and agrees that the Owner shall, at its own expense, perpetually preserve, maintain, and repair all storm drainage, detention and retention facilities, including all wetlands which are part of the system, to insure that the same continue to function as intended. The Owner shall establish a regular and systematic program of maintenance (the "Schedule of Maintenance") for such facilities and areas to insure that the physical condition and intended function of such areas and facilities shall be preserved and maintained. The Schedule of Maintenance and the annual estimated costs for maintenance and repairs for the first three (3) years are described in the attached Exhibit B.

In the event that the Owner shall at any time fail to carry out the responsibilities specified within this agreement, and/or in the event of a failure to preserve and/or maintain the storm water drainage, detention and retention facilities in reasonable order and condition, the City may serve written notice by certified mail return receipt requested or by overnight carrier upon the Owner with a copy to Real Estate Manager, McDonald's USA, LLC, 1021 Karl Greimel Drive, Suite 200, Brighton, MI, 48116 setting forth the

deficiencies in maintenance and/or preservation along with a demand that the deficiencies be cured within a stated reasonable time period, and the date, time and place for a hearing before the City for the purpose of allowing Owner an opportunity to be heard as to why the City should not proceed with the correction of the deficiency or obligation which has not been undertaken or properly fulfilled. At any such hearing, the time for curing and the hearing itself may be extended and/or continued to a date certain. If, following such hearing, the person conducting the hearing shall determine that the obligation has not been fulfilled or failure corrected within the time specified in the notice, as determined by the City in its reasonable discretion, the City shall thereupon have the power and authority, but not the obligation, to enter upon the Property, or cause its agents or contractors to enter the Property through the Ingress/Egress Easement Area as described and depicted in **Exhibit C** and perform such obligation or take such corrective measures as reasonably found by the City to be appropriate or necessary with respect to the detention/sedimentation basin within the Detention/Sedimentation Basin Easement Area described and depicted in Exhibit C, for the purposes described above. The cost and expense of making and financing such actions by the City, including notices by the City and reasonable legal fees incurred by the City, plus an administrative fee in an amount equivalent to twenty-five (25%) percent of the total of all such costs and expenses incurred, shall be paid by Owner within thirty (30) days of a billing to the Owner. All unpaid amounts may be placed on the delinquent tax roll of the City as to the Property, and shall accrue interest and penalties, and shall be collected as, and shall be deemed delinquent real property taxes, according to the laws made and provided for the collection of delinquent real property taxes. In the discretion of the City, such costs and expenses may be collected by suit initiated against the Owner, and, in such event, the Owner shall pay all court costs and reasonable attorney fees incurred by the City in connection with such suit.

The parties hereto make this Agreement on behalf of themselves, their heirs, successors, assigns and transferees, and hereby warrant that they have the authority and capacity to execute this Agreement and bind the property as described in the terms and conditions of this agreement.

Invalidation of any of these covenants or conditions by Judgment of Court Order shall in no way affect the validity of any other provision which shall remain in full force and effect.

This agreement shall run with the land and be binding upon all owners, their agents, heirs, successors assigns and transferees.

IN WITNESS WHEREOF, Owner has executed this Agreement as of the day and year first above set forth.

Attest:

By: <u>Ausanna M. Brown</u> Its: SUSHILLA M. BROWL, Covider

OWNER

McDonald's Corporation a Delaware corporation

athen Ma Bv 🖉 Its: KATHLEN MADLEHNI, SENLOR COUNSE

ACKNOWLEDGEMENT - McDONALD'S

(Attestation required)

STATE OF ILLINOIS SS:

COUNTY OF DUPAGE)

I, VATELCIA Halder, a Notary Public in and for the county and state aforesaid, DO HEREBY CERTIFY that Kathleen Madigan, Senior Counsel and SUSANNA M. Reaup , Counsel, of McDonald's USA, LLC, a Delaware limited liability corporation, who are personally known to me to be the same persons whose names are subscribed to the foregoing instrument as such Senior Counsel and Counsel appeared before me this day in person and acknowledged that they signed, sealed and delivered the said instrument as their free and voluntary act as such Senior Counsel and Counsel as the free and voluntary act of said limited liability company, for the uses and purposes therein set forth.

Given under my hand and notarial seal, this <u>/Bn/ day of Nathusse</u>, 2008.

Notary Public

My commission expires: 7-28-12

Acting in DuPage County

OFFICIAL SEAL PATRICIA HENSLER NOTARY PUBLIC - STATE OF ILLINOIS MY COMMISSION EXPIRES 07/28/12

STATE OF MICHIGAN))SS COUNTY OF OAKLAND)

The foregoing instrument was acknowledged before me on this _____ day of _____ 2008, by, ______, on behalf of the City of Novi, a Municipal Corporation.

> Notary Public Oakland County, Michigan My Commission Expires:

,

Drafted by: Elizabeth M. Kudla 30903 Northwestern Highway P.O. Box 3040 Farmington Hills, MI 48333-3040

And when recorded return to: Maryanne Cornelius, City Clerk City of Novi 45175 W. Ten Mile Rd Novi, MI 48375 SECTION 14, T. 1N., R. 3E. CITY OF NOVI OAKLAND COUNTY, MICHIGAN

1 1

EXHIBIT 'A' MCDONALDS PARCEL DESCRIPTION

1 1

OVERALL PARCEL:

A PARCEL OF LAND BEING A PART OF THE SECTION 14, TOWN 1 NORTH, RANGE 8 EAST, TWELVE OAKS SUBDIVISION #1 ACCORDING TO THE PLAT THEREOF RECORDED IN LIBER 158, PAGES 35-47, INCLUSIVE, OF OAKLAND COUNTY RECORDS, LOT 10 EXCEPT THE WESTERLY PART AS MEASURED 144.00 FEET ALONG THE NORTH LOT LINE AND 144.00 FEET ALONG THE SOUTH LOT LINE.

ALSO DESCRIBED AS:

A PARCEL OF LAND BEING A PART OF THE NORTHWEST 1/4 OF SECTION 14, TOWN 1 NORTH, RANGE 8 EAST, CITY OF NOVI, OAKLAND COUNTY, MICHIGAN, DESCRIBED AS FOLLOWS: COMMENCING AT THE NORTHWEST CORNER OF SECTION 14, TOWN 1 NORTH, RANGE 8 EAST, CITY OF NOVI, OAKLAND COUNTY, MICHIGAN, PROCEEDING THENCE NORTH 89 DEGREES 12 MINUTES 00 SECONDS EAST 1340.77 FEET ALONG THE NORTH LINE OF SECTION 14 AND CENTERLINE OF 12 MILE ROAD; THENCE SOUTH 00 DEGREES 48 MINUTES 00 SECONDS EAST 60.00 FEET TO THE POINT OF BEGINNING PROCEEDING THENCE NORTH 89 DEGREES 12 MINUTES 00 SECONDS EAST 250.00 FEET; THENCE 14.24 FEET ALONG THE ARC OF A CURVE TO THE RIGHT HAVING A RADIUS OF 45.00 FEET PASSING THROUGH A CENTRAL ANGLE OF 18 DEGREES 07 MINUTES 52 SECONDS WITH A LONG CHORD BEARING SOUTH 09 DEGREES 51 MINUTES 47 SECONDS EAST 14.18 FEET; THENCE SOUTH 00 DEGREES 48 MINUTES 00 SECONDS EAST 206.00 FEET; THENCE 70.69 FEET ALONG THE ARC OF A CURVE TO THE RIGHT HAVING A RADIUS OF 45.00 FEET PASSING THROUGH A CENTRAL ANGLE OF 90 DEGREES 00 SECONDS WITH A LONG CHORD BEARING SOUTH 44 DEGREES 12 MINUTES 00 SECONDS WEST 63.64 FEET; THENCE SOUTH 89 DEGREES 12 MINUTES 00 SECONDS WEST 207.23 FEET; THENCE NORTH 00 DEGREES 48 MINUTES 00 SECONDS WEST 265,00 FEET TO THE POINT OF BEGINNING, LESS AND EXCEPT THE NORTH 30 FEET THERCEF AS DESCRIBED IN LIBER 30206, PAGE 027 (DEDICATED ROAD RIGHT-OF-WAY). CONTAINING 1.35 ACRES (58B41 SQUARE FEET) OF LAND, MORE OR LESS.

BASIS OF BEARINGS: BEARINGS ARE CONSISTENT WITH "TWELVE OAKS NO. 1", AS RECORDED IN LIBER 158 OF PLATS, PAGES 35-47, OAKLAND COUNTY, MICHIGAN RECORDS.




Exhibit B Long-Term Maintenance Plan for Storm Water Management Page 1 of 2

1 /

*** * * * * * * * *** **

í

x 7

. 17

٠.

-1

5.5

÷

..'

| Inspect for sediment accumulation Storm Sewer System \$300.00 Catch Basin Sumps Outflow Control Structures Wetlands Inspect for floatables and debris Storm Structures \$200.00 Cleaning of floatables and debris Storm Structures \$200.00 Cleaning of floatables and debris Storm Structures \$200.00 Cleaning of floatables and debris Catch Basin Sumps \$300.00 Catch Basin Inlet Castings Channels Outflow Control Structures Outflow Control Structures Storm Detention Areas Wetlands Inspect for erosion Channels Outflow Control Structures Rip-Rap Storm Detention Areas \$200.00 Vetlands Emergency Overflow \$200.00 Inspect structural elements during Outflow Control Structures \$400.00 Wetlands Emergency Overflow \$400.00 Inspect structural elements during Outflow Control Structures \$400.00 Wetlands Emergency Overflow Channels Outflow Control Structures Rip-Rap Storm Sewer System Channels Storm Sewer System Catol anininum association Storm | Tasky - Annual | Components | Annual Cost |
|--|--|----------------------------|-------------|
| Outflow Control Structures Wetlands Mechanical StructuresInspect for floatables and debris Cleaning of floatables and debrisStorm Sewer System Catch Basin Sumps\$200.00Cleaning of floatables and debris Cleaning of floatables and debrisStorm Sewer System Catch Basin Sumps\$300.00Catch Basin Sumps\$300.00Catch Basin Sumps\$300.00Catch Basin SumpsCatch Basin Sumps\$300.00Catch Basin SumpsCatch Basin Sumps\$200.00Cutflow Control Structures Storm Detention Areas Wetlands Bmergency Overflow\$200.00Inspect for erosionChannels Channels Outflow Control Structures Rip-Rap Storm Detention Areas Wetlands Bmergency Overflow\$200.00Inspect structural elementa during vet weather and compare as-built plans (by a professional engineer reporting to the condominium association)Outflow Control Structures Storm Sewer System Channels. Outflow Control Structures Rip-RapKeep records of all inspections and maintenance activities and report to condominium associationStorm Sewer System Channels. Outflow Control Structures Rip-Rap | Inspect for sediment accumulation | | |
| Wetlands Mechanical StructuresInspect for floatables and debris Cleaning of floatables and debriaStorm Sewer System\$200,00Catch Basin Sumps\$300.00Catch Basin Sumps\$300.00Catch Basin Inlet Castings Channels Outflow Control Structures Storm Detention Areas Wetlands Bmergency Overflow\$200,00Inspect for erosionChannels Outflow Control Structures Rip-Rap Storm Detention Areas Wetlands Bmergency Overflow\$200,00Inspect structural elements during wet weather and compare as-built plans (by a professional engineer reporting to the condominium association)Outflow Control Structures Storm Sewer System Control StructuresKeep records of all inspections and resintenance outvities and report to condominium associationStorm Sewer System Channels. Outflow Control Structures Rip-Rap | 1 | Catch Basin Sumps | |
| Inspect for floatables and debrisStorm Sewer System\$200.00Cleaning of floatables and debriaStorm Sewer System\$300.00Catch Basin Sumps\$300.00Catch Basin Inlet CastingsChannelsOutflow Control StructuresOutflow Control StructuresStorm Detention AreasWetlandsBmergency OverflowInspect for erosionChannelsOutflow Control Structures\$200.00Outflow Control Structures\$200.00Outflow Control Structures\$200.00Outflow Control Structures\$200.00Outflow Control Structures\$200.00Outflow Control Structures\$200.00Outflow Control Structures\$200.00NamelasBuergency OverflowInspect structural elements during wet weather and compare as-built plans (by a professional engineer reporting to the condominium association)Outflow Control StructuresKeep records of all inspections and maintenance notivities and report to condominium associationStorm Sewer System Channels. Outflow Control Structures Rip-Rap | 1 | Outflow Control Structures | |
| Inspect for floatables and debris Cleaning of floatables and debrisStorm Sewer System\$200.00Catch Basin Sumps\$300.00Catch Basin Inlet Castings Channels Outflow Control Structures Storm Detention Areas Wetlands Emergency Overflow\$300.00Inspect for erosionChannels Outflow Control Structures Rip-Rap Storm Detention Areas Wetlands Emergency Overflow\$200.00Inspect structural elements during wet weather and compare as-built plans (by a professional engineer reporting to the condominium association)Storm Sewer System Channels. Outflow Control StructuresKeep records of all inspections and maintenance activities and report to condominium associationStorm Sewer System Channels. Outflow Control Structures | ĺ | Wetlands | |
| Cleaning of floatables and debria Catch Basin Sumps \$300.00 Catch Basin Inlet Castings Catch Basin Inlet Castings \$300.00 Catch Basin Inlet Castings Cutflow Control Structures \$300.00 Cutflow Control Structures Storm Detention Areas Wetlands Unspect for erosion Channels \$200.00 Outflow Control Structures Rip-Rap Storm Detention Areas Wetlands Emergency Overflow Storm Detention Areas Wethands Emergency Overflow Inspect structural elements during Outflow Control Structures wet weather and compare as-built Outflow Control Structures plans (by a professional engineer \$400.00 reporting to the condominium Storm Sever System maintenance activities and report Channels. to condominium association Outflow Control Structures Rip-Rap Storm Sever System | | Mechanical Structures | |
| Catch Basin Inlet Castings Channels Outflow Control Structures Storm Detention Areas Wetlands Bmergency OverflowInspect for erosionChannels Channels\$200.00Inspect for erosionChannels Outflow Control Structures Rip-Rsp Storm Detention Areas Wetlands Bmergency Overflow\$200.00Inspect structural elements during wet weather and compare as-built plans (by a professional engineer reporting to the condominium association)Outflow Control Structures Storm Sewer System Channels. Outflow Control Structures Rip-RapKeep records of all inspections and maintenance activities and report to condominium associationStorm Sewer System Channels. Outflow Control Structures Rip-Rap | | Storm Sewer System | \$200.00 |
| Channels Outflow Control Structures Storm Detention Areas Wetlands Emergency OverflowInspect for erosionChannels ChannelsInspect for erosionChannels Outflow Control Structures Rip-Rsp Storm Detention Areas Wetlands Emergency OverflowInspect structural elements during wet weather and compare as-built plans (by a professional engineer reporting to the condominium association)Outflow Control Structures Storm Sever System Channels. Outflow Control Structures Rip-Rap | Cleaning of floatables and debria | Catoh Basin Sumps | \$300.00 |
| Outflow Control Structures Storm Detention Areas Wetlands Binergency OverflowInspect for crosionChannels Outflow Control Structures Rip-Rsp Storm Detention Areas Wetlands Binergency OverflowInspect structural elements during wet weather and compare as-built plans (by a professional engineer reporting to the condominium association)Outflow Control Structures Storm Detention Areas Wetlands Binergency OverflowKeep records of all inspections and maintenance activities and report to condominium associationStorm Sewer System Channels. Outflow Control Structures Rip-Rap | L L L L L L L L L L L L L L L L L L L | Catch Basin Inlet Castings | |
| Storm Detention Areas Wetlands Inspect for erosion Channels Outflow Control Structures Rip-Rsp Storm Detention Areas Wetlands Bigstructural elements during Wetlands Emergency Overflow Inspect structural elements during Wetlands Emergency Overflow Inspect structural elements during Wetlands Emergency Overflow Outflow Control Structures \$400.00 Wet weather and compare as-built plans (by a professional engineer reporting to the condominium association) Keep records of all inspections and Methods maintenance activities and report to condominium association Outflow Control Structures Rip-Rap | | { | ſ |
| Wetlands Inspect for crosion Channels \$200.00 Outflow Control Structures Rip-Rsp \$200.00 Storm Detention Areas Wetlands Bmergency Overflow Inspect structural elements during wet weather and compare as-built plans (by a professional engineer reporting to the condominium association) Outflow Control Structures \$400.00 Keep records of all inspections and maintenance activities and report to condominium association Storm Sewer System Channels. Outflow Control Structures Rip-Rap Outflow Control Structures \$400.00 | 3 | Outflow Control Structures | |
| Inspect for crosion Emergency Overflow Inspect for crosion Channels \$200.00 Outflow Control Structures Nip-Rap Storm Detention Areas Wetlands Emergency Overflow Inspect structural elements during Inspect structural elements during Outflow Control Structures wet weather and compare as-built Outflow Control Structures plans (by a professional engineer Vetlow Control Structures reporting to the condominium Storm Sewer System maintenance activities and report Channels. to condominium association Outflow Control Structures Rip-Rap Rip-Rap | | | |
| Inspect for erosion Channels \$200.00 Outflow Control Structures Rip-Rsp Storm Detection Areas Storm Detection Areas Wetlands Bmergency Overflow Inspect structural elements during Outflow Control Structures \$400.00 wet weather and compare as-built Outflow Control Structures \$400.00 wet weather and compare as-built Outflow Control Structures \$400.00 wet weather and compare as-built Outflow Control Structures \$400.00 Wet control structures \$400.00 \$400.00 Wet weather and compare as-built Outflow Control Structures \$400.00 Wet weather and compare as-built Outflow Control Structures \$400.00 Wet weather and compare as-built Outflow Control Structures \$400.00 Keep records of all inspections and Storm Sewer System Channels. Maintenance activities and report Channels. Outflow Control Structures Rip-Rap Rip-Rap Structures Rip-Rap | | | |
| Outflow Control Structures Rip-Rsp Storm Detention Areas Wetlands Emergency Overflow Inspect structural elements during Outflow Control Structures \$400.00 wet weather and compare as-built plans (by a professional engineer reporting to the condominium association) Keep records of all inspections and Storm Sewer System maintenance activities and report to condominium association Outflow Control Structures Rip-Rap | · | Emergency Overflow | |
| Rip-Rsp Storm Detention Areas Wetlands Emergency Overflow Inspect structural elements during Outflow Control Structures \$400.00 wet weather and compare as-built plans (by a professional engineer reporting to the condominium association) Keep records of all inspections and Storm Sewer System maintenance activities and report to condominium association Outflow Control Structures Rip-Rap | Inspect for crosion | | \$200.00 |
| Storm Detention Areas Wetlands Emergency Overflow Inspect structural elements during Outflow Control Structures yet weather and compare as-built plans (by a professional engineer reporting to the condominium association) Keep records of all inspections and Storm Sewer System maintenance activities and report to condominium association Outflow Control Structures Rip-Rap | 1 | | |
| Wetlands Emergency Overflow Inspect structural elements during Wetweather and compare as-built plans (by a professional engineer reporting to the condominium association) Keep records of all inspections and maintenance activities and report to condominium association Outflow Control Structures Rip-Rap | | | 1 |
| Binergency Overflow Inspect structural elements during wet weather and compare as-built plans (by a professional engineer reporting to the condominium association) Outflow Control Structures \$400.00 Keep records of all inspections and maintenance activities and report to condominium association Storm Sewer System Channels. Outflow Control Structures | • | | J |
| Inspect structural elements during wet weather and compare as-built plans (by a professional engineer reporting to the condominium association) Outflow Control Structures \$400.00 Keep records of all inspections and maintenance activities and report to condominium association Storm Sewer System Channels. Outflow Control Structures Outflow Control Structures Storm Sewer System | | |] |
| wet weather and compare as-built plans (by a professional engineer reporting to the condominium association) Keep records of all inspections and Storm Sewer System maintenance activities and report to condominium association Outflow Control Structures Rip-Rap | * | | |
| plans (by a professional engineer reporting to the condominium association) Keep records of all inspections and storm Sewer System maintenance activities and report to condominium association Outflow Control Structures Rip-Rap | | Outflow Control Structures | \$400.00 |
| reporting to the condominium association) Keep records of all inspections and Storm Sewer System maintenance activities and report Channels. to condominium association Outflow Control Structures Rip-Rap | | | |
| association) Keep records of all inspections and Storm Sewer System maintenance activities and report Channels. to condominium association Outflow Control Structures Rip-Rap | | | Į. |
| Keep records of all inspections and maintenance activities and report to condominium association Storm Sewer System Channels. Outflow Control Structures Rip-Rap | | | |
| maintenance activities and report to condominium association Outflow Control Structures Rip-Rap | | Channe Savera Constant | |
| to condominium association Outflow Control Structures Rip-Rap | recepteons of an inspections and | | |
| Rip-Rap | the application approximation | | |
| | to concontinuant association | | |
| (prostit provinces) , , | • | | |
| Wetlands | | | · · · |
| Emergency Overflow | | ····· | |
| Keep records of all costs for Storm Sewer System | Keep records of all costs for | | + |
| Inspections, maintenance and Catch Basin Sumps | | | |
| repairs. Report to condominium Catch Basin Inlet Castings | | | |
| | association. Condominium | | |
| Association reviews cost Outflow Control Structures | | | |
| | effectiveness of the preventative | | , |
| | maintenance program and makes | | |
| | necessary adjustments | | |
| Emergency Overflow | ······································ | | |

1000

....· ٠. • .;•

.

1 ÷ .4

.

•

N I A

<u>}</u> ۹r.)

Exhibit B Long-Term Maintenance Plan for Storm Water Management .

1 1

•

.

. -

(

....

. .:

× 7

| Page | 2 | oť | 2 | |
|------|---|----|---|--|
|------|---|----|---|--|

| Tasks – Every 3 – 5 Years As Needed | Components | Estimated Cost | |
|--|----------------------------|----------------|--|
| Replacement of gravel jackets | Outflow Control Structures | \$500.00 | |

| Tasks – Every 5 – 10 Years As Needed | Components | Estimated Cost |
|---|----------------------------|----------------|
| Removal of sediment | Storm Sewer System | \$1,000.00 |
| accumulation | Catch Basin Sumps | \$1,300.00 |
| | Outflow Control Structures | |
| | Storm Detention Areas | |
| | Wetlands | |
| | Mechanical Structures | |

| Tasks – As Needed | Components | Estimated Cost |
|-----------------------------------|----------------------------|----------------|
| Re-establish permanent vegetation | Channels | \$500.00 |
| on croded slopes | Storm Detention Areas | |
| | Wetlands | |
| | Emergency Overflow | |
| Make adjustments or replacements | Storm Sewer System | \$500.00 |
| as determined by wet weather | Channels | |
| inspection(s) | Outflow Control Structures | |
| | Rip-Rap | |
| | Storm Detention Areas | |
| | Wetlands | |
| | Emergency Overflow | |
| Condominium association to have | Storm Sewer System | \$500.00 |
| a professional engineer carry out | Catch Basin Sumps | |
| emergency inspections upon | Catch Basin Inlet Castings | • |
| identification of severe problems | Channels | |
| | Outflow Control Structures | |
| | Rip-Rap | |
| | Storm Detention Areas | |
| | Wetlands | |
| • • | Emergency Overflow | |

.

•

.

.

ti.

Ì

ŗ

i f

:

1

: .

EXHIBIT B

8 1

 $\tilde{X} = Z$

Maintenance Tasks and Schedule During Construction Completion

| | | | | | Basin 6 | ····· | |
|---|-------------|-------------|----------------|------------|---------------------------------------|--------------------|-------------------------------|
| | Storm Sewer | Calch Basin | Catch Besin | Channois & | Sediment | Qutflow | } |
| TASKS | System | Sumps | Intel Castings | Swales | Control Devices | Control Sylictures | SCHEDULE |
| thispect for sediment accumulation | | | | 1 | <u>×</u> | | Weisdy |
| Removal of sediment accumulation | × | X | | X | × | × | As needed & prior to turnover |
| inspect for Rogiobles and dearts | | <u>x</u> | X | × | × | X | Quaterly |
| Clearing of Roalables and debris | | X | X | <u> x</u> | × | <u>×</u> | Quarterly 6 et turnover |
| Inspection for excelon | | | | × | <u>×</u> | | Weakly |
| Re-establish pormanent vegetation on aroded clopes | | <u> </u> | | × | × | | As meded 8 prior to tumover |
| Replacement of stone | | + | | <u></u> | · · · · · · · · · · · · · · · · · · · | × | As nreduct |
| Wet weather inspection of structural stemants | X | | | × | x | × | As needed & at turnovar. |
| (inclusing inspection for and/mont accumulation in | | | | <u></u> | | | |
| detention basins) with an outil plans in liand. These | | l | | | | | |
| should be carried out by a professional engineer. | | | | | | | |
| Make edjustments or replacements as determined by | × | 1 | | × | x | | As needed |
| way weather inspection | | | | | | <u>_</u> | |

Permanent Maintenanco Tosks & Schodulo Components


| | Storm Sower | Catch Basia | Cotch Basin | Channels | Storm Water Basin & | Outflow Control | |
|---|-------------------|--|----------------|------------|------------------------------|---|-------------------------------|
| TASHS | System | Sumps | holet Caslings | & Swales | Frotroatmoni Structuros | Structures | SCHEDULE |
| Inspect for sediment | BAR DERING | DEPENDENT | AND PROPERTY. | FERSENIE A | Manimum and and an inclusion | EXPLORATE CONTRACTOR | |
| Bush | | | | [| X | | Annually |
| Sedmentation Structures | | | | | × | | Quarterly |
| Olhor . | X | X | | × | | X | Annually |
| | | 1 | | <u> </u> | | | |
| Removal of sediment accumulation | | | | | | 机器的间歇的自动的器 | |
| Basin | | 1 | | | × | | Maintain at 50% full |
| Sedimentation Structures | | | | [| × × | | Malniein quarterty, as needed |
| Olhor | Χ | × | | X | | × | Malalain az requimd |
| Inspect for floatables and debris | | X | × | × | x | x | Annually |
| <u> </u> | | | | _ | | | |
| Cleaning of Apatables and debris | | X | X | <u> </u> | <u>×</u> | X | Annually |
| | | l <u></u> | · | ļ | | | |
| Inspection for eresten | | | ······ | <u> </u> | <u>x</u> | | Annually |
| | | | | L | | L | **** |
| Re-establish permanent vegetation | | _ | [| <u>x</u> | X | l | As needed |
| INSP./CLEANING ANFLOW DEFECE | | | | | | K | MONTHLY |
| Replacement of stons | <u> </u> | L | | [| <u></u> | <u>×</u> | As needed |
| | | | •• | <u>}</u> | | | |
| Wet weather inspection of structural elements | X | | | X | <u>×</u> | <u> </u> | Anoualy |
| (including inspection for sodiment accumulation in | | | | <u> </u> | | | <u> </u> |
| delenson basins) with ap-built plans in hand. Those | | | · | <u>}</u> | ····· | | |
| should be carried out by a professional angineer. | | | ···- | | | <u> </u> | |
| Mako adjustments or replacements as | × | | | × | | × | As needed |
| determined by wet weather inspection. | | | · | | ······ | | |
| Keep records of all inspections and | <u> </u> | <u>├</u> | <u> </u> | <u> </u> | <u> </u> | | Per Inspection |
| mpintonence astivilles and shall be made | | ······································ | | { | | <u>†</u> | |
| available for Gity Inspection. | [| | <u>r</u> | | 1 | | |
| | 1 | | 1 | T | | | [¹ |
| Knep records of all costs for inspections, | 1 | | [| † | | · - · · - · · · · · · · · · · · · · · | Por solivity |
| maintenence, and repairs (available for Gity | 1 | | | 1 | | | |
| review) |] | | l | ····- | | <u></u> μ | |
| | | ومصدي بالمحمد ومباد وساوحتها وساو | | f | | 4 | |


GilEngineering/Form Templates/MaIntenence Task Check Sheet

.

٠.

December 2005 -







November 21, 2008

30903 Northwestern Highway P.O. Box 3040 Farmington Hills, Mi 48333-3040 Tel: 248-851-9500 Fax: 248-851-2158 www.secrestwardle.com

Elizabeth M. Kudla Direct: 248-539-2846 bkadla@sccrestwordle.com Rob Hayes, City Engineer CITY OF NOVI 45175 West Ten Mile Road Novi, Michigan 48375-3024

> Re: McDonalds Dedication and Acceptance of Utilities Storm Drainage Facility Maintenance Easement Agreement Our File No. 660092 NOV1

SP08-21

Dear Mr. Hayes:

We have received and reviewed the following documents relating to the McDonalds Property:

- 1. Sanitary Sewer Easement (Monitoring Manhole)
- 2. Title Search Report
- 3. Storm Drainage Facility Maintenance Easement Agreement
- 4. Letter of Authority

Conveyance Documents

McDonald's Corporation seeks to convey a Sanitary Sewer System Easement for a monitoring manhole over, upon and through the subject property, in Section 14 of the City, to the City of Novi. Our office has reviewed and approved the format and language of the Sanitary Sewer Easement. It is in the City's standard format and, subject to engineering approval of the exhibits, is ready for acceptance. Engineering has confirmed that no Maintenance Bond or Bill of Sale is required for the monitoring manhole as the City does not take ownership of the improvement.

We also approve the Storm Drainage Facility Maintenance Easement Agreement in the enclosed format. It is our understanding Engineering has reviewed and approved the attached Exhibits.

The Title Search Report shows that all necessary parties having an interest in the property have executed the Sanitary Sewer System Easement and Storm Drainage Facility Maintenance Easement Agreement. There are no mortgages or conflicting easements on the property.

,

COUNSELORS AT LAW

Rob Hayes, City Engineer November 21, 2008 Page 2

All original documents are enclosed with the City Clerk's copy of this report. Once the Sanitary Sewer Easement is approved and accepted by *Affidavit* of the City Engineer, the original Sanitary Sewer Easement should be recorded with the Oakland County Register of Deeds. The Title Search Report should be maintained in the City's file.

Because the Storm Drainage Facility Maintenance Easement Agreement requires approval by City Council, it may be placed on an upcoming City Council Agenda for approval. Once approved by City Council and signed by the Mayor, the City Clerk's Office should record it with Oakland County.

Should you have any questions or concerns in regard to this matter, please feel free to contact me.

Very truly yours,

Elizaberen m. Kudlafses

ELIZABETH M. KUDLA

EMK.

Enclosures C: Mai

Maryanne Cornelius, Clerk (w/Enclosures) Marina Neumaier, Assistant Director of Finance (w/ Enclosures) Brian Coburn, Civil Engineer (w/Enclosures) Taylor Reynolds and Byron Hanson, Spalding DeDecker (w/ Enclosures) Sarah Marchioni, Building Department (w/ Enclosures) Michael Kazarian, (w/ Enclosures) Thomas R. Schultz, Esquire (w/ Enclosures)

C:/WrPortbl/imanage/BKUDLA/1158171_1.DOC

STATE OF MICHIGAN COUNTY OF OAKLAND CITY OF NOVI

WATER AND SANITARY SEWER SYSTEM

ACCEPTANCE AND ASSUMPTION

In accordance with the City of Novi Code of Ordinances, Chapter 26.5 – Performance Guarantees (Ordinance No. 04-173), all site applicants must complete the following requirements prior to the issuance of a Temporary Certificate of Occupancy:

- Provide a certified affidavit in a form acceptable to the City, indicating satisfactory completion of the required utility improvements.
- Request and participate in a final site inspection, and obtain approval of the utilities by the City's engineer (or designee).
- Obtain City Engineer and Attorney approval of all necessary acceptance paperwork (i.e., easements, bills-of-sale, bonds and agreements) with respect to the public utilities proposed to be dedicated to the City of Novi. Approval letters from the City's Consulting Engineer and Attorney are attached.

Please be advised that we have verified the completion of the above requirements for the **McDonald's** (Twelve Oaks Mall) project in accordance with the requirements of Section 25.6-330 of the City of Novi Code of Ordinances regarding construction, dedication and acceptance of water and sanitary sewer utilities. As a result of this verification, we are providing this "Acknowledgment of Acceptance" for utility improvements. The City of Novi hereby accepts the title to and jurisdiction over such Water and Sanitary Sewer System improvements, from and after the effective date of this Acknowledgment of Acceptance and Assumption. Subject to all other applicable ordinance requirements, we have no objection to the Building Department's issuance of a Temporary Certificate of Occupancy for this project.

CITY OF NOVI

Engineering Department

LISA DE MEO NOTARY PUBLIC, STATE OF MI COUNTY OF WAYNE MY COMMISSION EXPIRES Jan 10, 2015 ACTING IN COUNTY OF (U AK (An C)

) s.s.

Aaron J. Staup

Construction Engineering Coordinator

STATE OF MICHIGAN

COUNTY OF OAKLAND

On this <u>2</u> day of <u>November</u>, 20<u>28</u>, the foregoing instrument was acknowledged before me by Aaron Staup, the Construction Engineering Coordinator for the City of Novi, Michigan, on behalf of said Municipality.

Notary Public, Oakland County State of Michigan My commission expires: <u>10-10-3015</u>

C:\NrPortbl\imanage\BKUDLA\931098_1.DOC

Staup, Aaron

From:Ted Meadows [TMeadows@sda-eng.com]Sent:Thursday, November 20, 2008 6:20 PMTo:Staup, Aaron; Marchioni, SarahSubject:McDonald's

Punchlist complete.

Financial Guarantee: 20,000 *1.5= \$30,000

Ted Meadows Construction Engineering Dept. Contract Administrator Spalding DeDecker Associates, Inc. 10503 Citation Drive Suite 600 Brighton, MI 48116 <u>tmeadows@sda-eng.com</u> Phone: (810) 534-1400 Fax: (810) 534-1400 Fax: (810) 534-1402 Mobile: (248) 762-5116 Spalding DeDecker Associates, Inc. "The Benchmark of Excellence

This email is solely for the use of the individual(s) to whom it is addressed and may contain information that is privileged, confidential or otherwise exempt from disclosure under applicable law. If the reader of this email is not the intended recipient, you are hereby notified that any use, dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error, please immediately notify us by return email and destroy the original message. Thank you.

11/21/2008



SPALDING DEDECKER ASSOCIATES, INC.

905 South Boulevard East • Rochester Hills • Michigan 48307 • Tel 248 844 5400 • Fax 248 844 5404

November 21, 2008

Mr. Aaron Staup Construction Engineering Coordinator City of Novi 45175 West Ten Mile Road Novi, Michigan 48375

Re: McDonalds 12 Oaks Acceptance Documents Review Novi # 08-21 SDA Job No. NV08-219 APPROVED

Dear Mr. Staup:

We have reviewed the Acceptance Document Package received by our office on November 20, 2008 against approved Final Site Plan (Stamping Set) and the as-built plans currently being prepared by this office. We offer the following comments:

Final Acceptance Documents:

- 1. Water System Easement (executed: dated September 3, 2008) Approved. Exhibit "A", Parcel Description Approved. Exhibit "B" Water system maintenance ingress/egress easement Approved.
- Sanitary Sewer System Easement (for Monitoring Manhole) (executed: dated November 18, 2008) Approved. Exhibit "A", Parcel Description Approved. Exhibit "B" Sanitary sewer ingress/egress easement Approved. This document has been revised to conform to the revised location of the sanitary sewer monitoring manhole. A copy of this description and sketch is attached for your use.
- Storm Drainage Facility / Maintenance Easement Agreement ~ (executed: dated November 18, 2008) Approved. Exhibit "A", Parcel Description Approved. Exhibit "B", Maintenance schedule with estimated costs, Approved. Exhibit "C" Storm sewer maintenance, ingress/egress easement description and sketch, Approved.
- 4. As-Built Engineering Plans will be prepared by Spalding DeDecker Associates, Inc.

The documents as submitted were found to be acceptable by our office pending review by the City Attorney. The City Attorney's Office will retain the original documents in their files until such time as they are approved and ready (notarized and executed property) for the Mayor's signature.

Engineering Consultants

Infrastructure • Land Development • Surveying

JUNY/Construction Engineering/NV08-219 (McDonald's)/Acceptance Docs/NV08219ADA2.doc

November 21, 2008 Mr. Aaron Staup NV08-219 Page 2

If you have any questions regarding this matter, please contact this office at your convenience.

Sincerely,

SPALDING DEDECKER ASSOCIATES, INC.

Taylor E. Reynolds, PE Project Engineer

TR/BH

 Maryanne Cornelius, City Clerk (via E-mail) Marina Neumaier, Assistant Finance Director (via E-mail) Sheila Weber, Treasurer's Office (via E-mail) Barb McBeth, City Planning Director (via E-mail) Juanita Freeman, Planning Department (via E-mail) Ben Croy, Plan Review Center (via E-mail) Sarah Marchioni, Building Department (via E-mail) Beth Kudla, Secrest Wardle (via E-mail) Ted Meadows, SDA Construction Engineering (via E-mail) Michael Kazarian, McDonalds USA, LLC Matthew Diffin, PE, Diffin Development Consultants (via E-mail)

J:NV/Construction Engineering/NV08-219 (McDonald's)/Acceptance Docs/NV08219ADA2.doc

and the second second