CITY OF NOV cityofnovi.org

CITY of NOVI CITY COUNCIL

Agenda Item P June 18, 2012

SUBJECT: Approval of resolutions authorizing termination of portions of an existing water main easement and sanitary sewer easement (recorded at Liber 10037, Page 250, Oakland County Records) at the request of Novi Town Center Investors, LLC, as part of the redevelopment of Novi Town Center and construction of the Wal-Mart site (parcel 22-14-351-063).

SUBMITTING DEPARTMENT: Department of Public Services, Engineering Division &

CITY MANAGER APPROVAL:

BACKGROUND INFORMATION:

The approved site plans for the redevelopment of the Novi Town Center and construction of Wal-Mart included the abandonment and relocation of some existing utilities on site. Specifically, there were sections of existing public water main and sanitary sewer with recorded easements that were relocated to facilitate construction of new buildings. Novi Town Center Investors, LLC is requesting approval of resolutions by City Council to terminate the portions of the easements on its property that no longer contain public infrastructure. These easements were recorded at Liber 10037, Page 250, Oakland County Records in 1987 as part of the original development of Novi Town Center.


The new water main and sanitary sewer were constructed as part of the Novi Town Center site plan and have been administratively accepted. The easements associated with the new utilities have been recorded with Oakland County Register of Deeds.

The enclosed resolutions for authorizing termination of portions of the existing water main easement and sanitary sewer easements for those locations where the utilities have been relocated have been prepared for City Council consideration. The resolutions have been favorably reviewed by the City Attorney (Beth Saarela's May 17, 2012 letter, attached) and are recommended for approval. The enclosed Resolutions have been prepared by the City Attorney and are also recommended for approval.

RECOMMENDED ACTION: Approval of resolutions authorizing termination of portions of an existing water main easement and sanitary sewer easement (recorded at Liber 10037, Page 250, Oakland County Records) at the request of Novi Town Center Investors, LLC, as part of the redevelopment of Novi Town Center and construction of the Wal-Mart site (parcel 22-14-351-063).

	1	2	Υ	N
Mayor Gatt				
Mayor Pro Tem Staudt				
Council Member Casey				
Council Member Fischer				

	1	2	Υ	N
Council Member Margolis				
Council Member Mutch				
Council Member Wrobel				







MAP INTERPRETATION NOTICE

Map information depicted is not intended to replace or substitute fo any official or primary source. This map was intended to meet National Map Accuracy Standards and use the most recent, accurate sources available to the people of the City of Novi. Boundary measurements and area calculations are approximate and should not be construed as survey measurements performed by a licensed Milchigan Surveyor as defined in Milchigan Public Act 132 of 1970 as amended. Pleased contact the City GIS Manager to

Legend

Water Main







City of Novi

Engineering Division
Department of Public Services
26300 Lee BeGole Drive
Novi, MI 48375
cityofnovi.org

			Feet		
0	85	170	340	510	680

1 inch = 397 feet

JOHNSON | ROSATI | SCHULTZ | JOPPICH

A Professional Corporation

34405 W. Twelve Mile Road Suite 200 ~ Farmington Hills, Michigan 48331-5627 Phone: 248.489.4100 / Fax: 248.489.1726 www.johnsonrosati.com

Elizabeth Kudla Saarela esaarela@jrsjlaw.com

May 17, 2012

Rob Hayes, Public Services Director CITY OF NOVI Department of Public Services Field Services Complex 26300 Lee BeGole Drive Novi, MI 48375

Re: Novi Town Center, Building F (SP 10-26)

Vacation of Water and Sanitary Sewer System Easements

Our File No. 660193 NOV1

Dear Mr. Hayes:

We have received and reviewed the following documents for the Novi Town Center, Building F, Property:

- Vacation of Water Main Easement
- Vacation of Sanitary Sewer Easement

The site plan for Novi Town Center Building F, includes the dedication of new water and sanitary sewer easements based on the relocation of certain water and sanitary sewer system improvements to serve the site. Certain existing water mains and sewer lines were no longer needed and were abandoned and removed from the easement areas. As a result, Engineering has approved vacation of the easements as part of the site plan approval for Novi Town Center Building F.

Rob Hayes, Public Services Director May 17, 2012 Page 2

The documents vacating the existing water main and sanitary sewer easements dated June 15, 1987, recorded at Liber 10037, pages 250 through 270, that have been prepared by the property owner have been set up in a format that results in the property owner vacating the easements. Because the City is the party benefitting from the easements, the City should be the party terminating the interest in the easements. The proposed Vacation of Water Main and Sanitary Sewer Easements must be approved by City Council by Resolution rather than vacating document signed by the Property Owner. We have prepared and enclosed Resolution of the City Council Authorizing and have attached to the Exhibits provided. Subject to Engineering approval of the exhibits, the Resolutions may be placed on an upcoming City Council Consent Agenda for approval. Once approved, the Resolutions should be recorded with the Oakland County Register of Deeds in the usual manner.

Please feel free to contact me with any questions or concerns in regard to this matter.

Very truly yours,

JOHNSON, ROSATI, SCHULTZ & JOPPICH, P.C.

Elizabeth X. Saarela/ses

Elizabeth Kudla Saarela

EKS Enclosures

Maryanne Cornelius, Clerk (w/Original Enclosures [sent on April 3, 2012]) Marina Neumaier, Assistant Finance Director (w/Enclosures) Charles Boulard, Community Development Director (w/Enclosures) Barb McBeth, Deputy Community Development Director (w/Enclosures) Shella Weber, Treasurer's Office (w/Enclosures) Kristin Pace, Treasurer's Office (w/Enclosures) Aaron Staup, Construction Engineering Coordinator (w/Enclosures) Sarah Marchioni, Building Permit Coordinator (w/Enclosures) Taylor Reynolds and Ted Meadows, Spalding DeDecker (w/Enclosures) Sue Troutman, City Clerk's Office (w/Enclosures) Jim Clear (w/Enclosures) Thomas R. Schultz, Esquire (w/Enclosures)

RESOLUTION OF THE CITY COUNCIL AUTHORIZING TERMINATION OF WATER MAIN EASEMENT

RECITATIONS UNDERLYING THIS RESOLUTION:

The easement for operating, constructing, maintaining and repairing a Water Main granted to the City of Novi (the "City") whose address is 45175 West Ten Mile Road, Novi, Michigan 48375, which easement is located in Section 14 of the City of Novi, as described on the attached and incorporated Exhibit B is the subject matter of this Resolution, and shall be referred to herein as the "Easement".

The owners of the property described in the attached and incorporated Exhibit A, upon which the Easement is located (the "Property"), Novi Town Center Investors, LLC, a Delware limited liability company, whose address is 242 Trumbull Street, Hartford, Connecticut, 06103-1212 (the "Owners"), granted an easement dated June 15, 1987, recorded at Liber 10037, Page 250, Oakland County Records, for a public water main located on the Property within the Novi Town Center development. Subsequently, the Owners submitted a new site plan and proposed redevelopment of the Property necessitating relocation of public sanitary sewer and water main facilities. New easements will be granted for the newly constructed sanitary sewer and water main facilities in accordance with City ordinance requirements. As such, the City has offered to terminate and vacate the existing easement over water main improvements that have been properly disconnected from the City's public water main system and abandoned. Any costs associated with terminating the easement shall be the Owner's expense.

The appropriate City Officials have investigated the need to maintain the Easement for the benefit of the City's public water main system, for the benefit of the Property, and/or for the benefit of surrounding properties. The City Officials have determined it is not necessary to maintain the Easement in the location shown on Exhibit B, and hereby agree to terminate it.

NOW, THEREFORE, IT IS RESOLVED AS FOLLOWS:

I. That the following water main easement described in the attached and incorporated Exhibit B, located in Section 14 of the City, described in the Easement Agreement which is recorded at Liber 10037, Pages 250 through 270, Oakland County Records, for operating, constructing, maintaining and repairing a Water Main, be terminated:

THEREMAND THE PROPERTY OF THE

{See attached and incorporated Exhibit B}

2. This Resolution shall be recorded with the Oakland County Register of Deeds evidencing the termination called for herein.

)
)) ss.)
he foregoing is a true and correct copy of a Resolution adopted by of Novi at the regular meeting held on, 2012.

MARYANNE CORNELIUS, CITY CLERK

Drafted by: Elizabeth Saarela Johnson, Rosati, Schultz & Joppich 34405 W. Twelve Mile Road, Suite 200 Farmington Hills, MI 48331-5627 (248) 489-4100

When recorded return to: Maryanne Cornelius, Clerk City of Novi 45175 W. Ten Mile Rd. Novi, MI 48375

31. <u>6.5376,31</u>1. 3200-420-43.

AND MARKET CO.

LEGAL DESCRIPTION NOVI TOWN CENTER PARCEL (PARCEL ID. NUMBER 22-14-351-063)

A PART OF THE SOUTHWEST QUARTER (1/4) OF SECTION 14 AND A PART OF THE NORTHWEST QUARTER (1/4) OF SECTION 23, TOWN I NORTH, RANGE 8 EAST, CITY OF NOVI, DAKLAND COUNTY, MICHIGAN, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCING AT THE SOUTHWEST CORNER OF SECTION 14 SAID CORNER ALSO BEING THE NORTHWEST CORNER OF SECTION 23, THENCE NORTH 87 DEGREES 28 MINUTES 51 SECOND EAST, 64,00 FEET ALONG THE SOUTH LINE OF SECTION 14 TO THE POINT OF BEGINNING ON THE EAST RIGHT OF WAY LINE OF NOVIROAD (VARIABLE WIDTH): THENCE THE FOLLOWING THREE COURSES BEING ALONG SAID EAST AND SOUTH RIGHT OF WAY LINE; (1) NORTH 02 DEGREES 40 MINUTES 33 SECONDS WEST, 66,98 FEET; AND (2) NORTH 87 DEGREES 29 MINUTES 51 SECONDS EAST, 6,00 FEET; AND (3) NORTH ALONG SAID EAST AND SOUTH RIGHT OF WAY LINE; (1) NORTH 02 DEGREES 40 MINUTES 33 SECONDS WEST, 66.98 FEET; AND (2) NORTH 87 DEGREES 29 MINUTES 51 SECONDS EAST, 6.00 FEET; AND (3) NORTH 02 DEGREES 40 MINUTES 33 SECONDS WEST, 177.73 FEET; THENCE NORTH 86 DEGREES 62 MINUTES 49 SECONDS EAST, 269.99 FEET; THENCE NORTH 02 DEGREES 40 MINUTES 33 SECONDS WEST, 87.91 FEET; THENCE NORTH 86 DEGREES 04 MINUTES 47 SECONDS EAST, 48.02 FEET; THENCE NORTH 02 DEGREES 40 MINUTES 33 SECONDS WEST 49.32 FEET TO A POINT ON THE SOUTH LINE OF CROWE DRIVE (VARIABLE WIDTH) THENCE NORTH 87 DEGREES 19 MINUTES 27 SECONDS EAST, 41.14 FEET TO A POINT ON THE EAST RIGHT OF WAY LINE OF INGERSOL DRIVE (40 FEET WIDE); THENCE THE FOLLOWING THREE (3) COURSES BEING ALONG SAID EAST LINE (1) ALONG A CURVE TO THE LEFT 188.48 FEET SAID CURVE HAVING A RADIUS OF 1020.00 FEET, A CENTRAL ANGLE OF 10 DEGREES 35 MINUTES 14 SECONDS, AND A LONG CHORD BEARRIG OF NORTH 08 DEGREES 12 MINUTES 39 SECONDS WEST, 188.21 FEET; AND (2) ALONG A CURVE TO THE LEFT 276,93 FEET SAID CURVE HAVING A RADIUS OF 720.00 FEET, A CENTRAL ANGLE OF 22 DEGREES 02 MINUTES 14 SECONDS, AND A LONG CHORD BEARRIG OF NORTH 24 DEGREES 31 MINUTES 23 SECONDS WEST, 275.22 FEET; AND (3) NORTH 04 DEGREES 00 MINUTES 03 SECONDS EAST, 48.39 FEET TO A POINT ON THE SOUTHERLY RIGHT OF WAY LINE OF CRESCENT BOULEVARD (77 FEET WIDE); THENCE THE FOLLOWING FOUR (4) COURSES BEING ALONG SAID SOUTHERLY LINE (1) ALONG A CURVE TO THE LEFT 45.61 FEET SAID CURVE HAVING A RADIUS OF 330.50 FEET, A CENTRAL ANGLE OF 07 DEGREES 54 MINUTES 23 SECONDS, AND A LONG CHORD BEARING OF NORTH 35 DEGREES 49 MINUTES 27 SECONDS EAST, 45.57 FEET AND (2) NORTH 35 DEGREES 49 MINUTES 27 SECONDS EAST, 45.57 FEET AND (2) NORTH 35 DEGREES 49 MINUTES 27 SECONDS EAST, 45.57 FEET AND (2) NORTH 35 DEGREES 49 MINUTES 27 SECONDS EAST, 50.09.22 FEET; AND (4) NORTH 87 DEGREES 19 MINUTES 27 SECONDS EAST, 50.00 FEET; THENCE SOUTH 47 DEGREES 40 MINUTES 33 SECONDS EAST, 50.00 FEET; THENCE SOUTH 87 DEGREES 19 MINUTES 27 SECONDS WEST, 15.7.77 FEET; THENCE 87 DEGREES 19 MANUTES 26 SECONDS WEST, 129.02 FEET; THENCE NORTH 2 DEGREES 40 MINUTES 33 SECONDS -87 DEGREES 19 MINUTES 26 SECONDS WEST, 129.02 FEET; THENCE NORTH 2 DEGREES 40 MINUTES 33 SECONDS WEST, 0.67 FEET; THENCE SOUTH 87 DEGREES 19 MINUTES 27 SECONDS WEST, 53,77 FEET; THENCE NORTH 2 DEGREES 40 MINUTES 33 SECONDS WEST, 27.99 FEET; THENCE SOUTH 87 DEGREES 19 MINUTES 27 SECONDS WEST 638,49 FEET; THENCE SOUTH 6 DEGREES 45 MINUTES 56 SECONDS EAST, 48,17 FEET; THENCE ALONG A NON-TANGENT CURVE TO THE MIGHT 227.70 FEET SAID CURVE HAVING A RADJUS OF 1123.90 FEET, A CENTRAL ANGLE OF 11 DEGREES 36 MINUTES 28 SECONDS AND A LONG CHORD BEARING OF SOUTH 2 DEGREES 10 MINUTES 42 SECONDS EAST, 227.31 FEET; THENCE SOUTH ZERO (0) DEGREES 10 MINUTES 03 SECONDS WEST, 48.21 FEET; THENCE NORTH 87 DEGREES 19 MINUTES 27 SECONDS EAST, 392,75 FEET; THENCE SOUTH 2 DEGREES 40 MINUTES 33 SECONDS EAST, 278.98 FEET; THENCE NORTH 87 DEGREES 19 MINUTES 27 SECONDS EAST, 185 BO FEET TO A DONT ON THE WEST INFO OF TOWN CENTED BOURD (MARINER WIDTH) THENCE THE 40 MINUTES 33 SECONDS EAST, 278,98 FEET THENCE NORTH 87 DEGREES 19 MINUTES 27 SECONDS EAST, 656,59 FEET TO A POINT ON THE WEST LINE OF TOWN CENTER DRIVE (VARIABLE WIDTH): THENCE THE FOLLOWING TEN (10) COURSES BEING ALONG SAD WEST LINE; (1) SOUTH 2 DEGREES 22 MINUTES 58 SECONDS WEST, 15,40 FEET: AND (2) SOUTH 47 DEGREES 40 MINUTES 33 SECONDS EAST, 39,60 FEETI AND (3) SOUTH 02 DEGREES 40 MINUTES 33 SECONDS EAST, 56,50 FEETI AND (4) ALONG A CURVE LEFT 141,96 FEET SAD CURVE HAVING A RADIUS OF 435,50 FEET, A CENTRAL ANGLE OF 18 DEGREES 40 MINUTES 35 SECONDS, AND A LONG CHORD BEARING OF SOUTH 12 DEGREES 00 MINUTES 50 SECONDS EAST, 141,33 FEETI AND (5) SOUTH 21 DEGREES 21 MINUTES 05 SECONDS EAST, 100.00 FEETI AND (6) SOUTH 12 DEGREES 32 MINUTES 05 SECONDS EAST, 100.00 FEETI AND (6) SOUTH 20 DEGREES 34 MINUTES 27 SECONDS EAST, 9.89 FEET; AND (7) SOUTH 04 DEGREES 33 MINUTES 20 DEGREES 34 MINUTES 27 SECONDS EAST, 9.89 FEET; AND (7) SOUTH 04 DEGREES 33 MINUTES
29 SECONDS EAST, 101.48 FEET; AND (8) ALONG A NON TANGENT CURVE TO THE RIGHT 84.17 FEET SAID
CURVE HAVING A RADIUS OF 353.50 FEET, A CENTRAL ANGLE OF 13 DEGREES 38 MINUTES 32 SECONDS, AND
A LONG CHORD BEARING OF SOUTH 03 DEGREES 10 MINUTES 45 SECONDS WEST, 83.97 FEET; AND
(9) SOUTH 10 DEGREES 00 MINUTES 00 SECONDS WEST, 30.36 FEET; AND (10) SOUTH 27 DEGREES 11 MINUTES
06 SECONDS WEST, 9.05 FEET TO A POINT ON THE NORTHERLY RIGHT OF WAY LINE OF GRAND RIVER AVENUE
(VARIABLE WIDTH); THENCE NORTH 04 DEGREES 16 MINUTES 33 SECONDS WEST, 195.56 FEET ALONG SAID
NORTHERLY LINE; THENCE NORTH 05 DEGREES 47 MINUTES 48 SECONDS EAST, 87.34 FEET; THENCE NORTH
02 DEGREES 46 MINUTES 49 SECONDS EAST, 68.75 FEET; THENCE SOUTH 85 DEGREES 52 MINUTES
56 SECONDS EAST, 99.91 FEET; THENCE NORTH 04 DEGREES 06 MINUTES 37 SECONDS EAST, 83.28 FEET;
THENCE SOUTH 87 DEGREES 28 MINUTES 51 SECONDS WEST, 200.00 FEET; THENCE NORTH 02 DEGREES THENCE SOUTH 87 DEGREES 28 LANUTES 51 SECONDS WEST, 200.00 FEET; THENCE NORTH 02 DEGREES 40 MINUTES 33 SECONDS WEST, 166.35 FEET; THENCE SOUTH 87 DEGREES 28 LANUTES 51 SECONDS WEST, 432.79 FEET; THENCE SOUTH 87 DEGREES 28 LANUTES 51 SECONDS WEST, 432.79 FEET; THENCE SOUTH 87 DEGREES 28 LANUTES 51 SECONDS WEST, 432.79 FEET; THENCE SOUTH 13 DEGREES 38 MINUTES 41 SECONDS WEST, 287.42 FEET TO A POINT ON THE NORTHERLY RIGHT OF WAY LINE OF GRAND RIVER AVENUE; THENCE THE FOLLOWING THREE (3) COURSES BEING ALONG SAD NORTHERLY LINE (1) NORTH 74 DEGREES 00 MINUTES 17 SECONDS WEST 698.96 FEET; AND (2) SOUTH 03 DEGREES 08 MINUTES 60 SECONDS EAST, 3.88 FEET; AND (3) NORTH 74 DEGREES 00 MINUTES 67 SECONDS WEST 77 AND 15 FEET AND (3) NORTH 74 DEGREES O2 MINUTES O7 SECONOS WEST, 79.81 FEET TO A POINT ON THE EASTERLY RIGHT OF MAY LINE OF MOVING ROAD (VARIABLE WIDTH); THENCE NORTH 42 DEGREES 20 MINUTES 47 SECONDS WEST, 85.67 FEET NO FRICHIO ALONG SAID EASTERLY LINE TO THE POINT OF BEGWING AND CONTAINING 34.966 ACRES. ×

SKETCH OF DESCRIPTION

PARTIAL VACATION OF WATER MAIN EASEMENT PART OF THE SOUTHWEST 1/4 OF SECTION 14 AND NORTHWEST 1/4 OF SECTION 28, CITY OF NOVI,

T-1-N., R-8-E., OAKLAND COUNTY, MICHIGAN

Webster Engine

Giffels-Webster Engineers, Inc. ENGINEERS LAND SUPERFYERS PLANTERS LANDSCIPE ARCHITECTS 2821 BOND STREET, ROCHESTER HILLS, VI. 48399 (246) 482-8100

DAIR: 0	1/17/12	CHECKED BY	DATE	SCALE	47 H300
DRAWN:	LDA	CA .	01/12		
DESIGN:				SHRRI	40F4
SECTION:	14 4 23	7-1-N, R-8-1	B.	JOB N∝	17821.00

n/Eosemants/NIC Pared Yocoled Eosements/Vocoled WA_Eosement_SHT-1,

CHARD


PROFESSIONAL

SURVEYOR No.

repredester shalls made without the price


\$\$\$\$\$\$\$\$\$\$\$

TOTAL STREET SELECTION OF THE PERSON OF THE



of allow the mode without the prior

A MARKETTER PROPERTY



વ્યવસાય જાણ જાણ જાણ જાણ જાણ જાણ છ

LEGAL DESCRIPTION PORTION OF WATER MAIN EASEMENT TO BE VACATED

A PART OF THE SOUTHWEST QUARTER (1/4) OF SECTION 14, TOWN 1 NORTH, RANGE 8 EAST, CITY OF NOV., OAKLAND COUNTY, MICHIGAN, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCING AT THE SOUTHWEST CORNER OF SECTION 14 SAID CORNER ALSO BEING THE NORTHWEST CORNER OF SECTION 23, THENCE NORTH 87 DEGREES 28 MINUTES 51 SECONDS EAST, 1602.65 FEET ALONG THE SOUTH LINE OF SECTION 14; THENCE NORTH 02 DEGREES 40 MINUTES 23 SECONDS WEST, 677.17 FEET; THENCE SOUTH 87 DEGREES 19 MINUTES 27 SECONDS WEST, 40.00 FEET TO THE POINT OF BEGINNING OF A CENTERLINE OF 20 FEET WIDE EASEMENT FOR WATER MAIN AS RECORDED IN LIBER 10037, PAGE 260, OAKLAND COUNTY RECORDS; THENCE SOUTH 87 DEGREES 19 MINUTES 27 SECONDS WEST, 132.82 FEET TO THE POINT OF BEGINNING OF A CENTERLINE OF 20 FEET WIDE EASEMENT FOR WATER MAIN TO BE VACATED; THENCE CONTINUING ALONG SAID CENTERLINE SOUTH 87 DEGREES 19 MINUTES 27 SECONDS WEST, 231.00 FEET TO TEE "M"; THENCE CONTINUING FROM SAID TEE "L" SOUTH 87 DEGREES 19 MINUTES 27 SECONDS WEST, 231.00 FEET TO TEE "M"; THENCE CONTINUING FROM SAID TEE "L" SOUTH 87 DEGREES 19 MINUTES 27 SECONDS WEST, 251.00 FEET; THENCE SOUTH 87 DEGREES 19 MINUTES 27 SECONDS WEST, 251.00 FEET; THENCE SOUTH 87 DEGREES 19 MINUTES 27 SECONDS WEST, 251.10 FEET; THENCE SOUTH 87 DEGREES 19 MINUTES 27 SECONDS WEST, 251.10 FEET; THENCE SOUTH 87 DEGREES 19 MINUTES 27 SECONDS WEST, 251.10 FEET; THENCE SOUTH 87 DEGREES 19 MINUTES 27 SECONDS WEST, 251.10 FEET; THENCE SOUTH 87 DEGREES 19 MINUTES 27 SECONDS WEST, 27 DEGREES 40 MINUTES 33 SECONDS WEST, 39.67 FEET TO THE POINT OF ENDING.

AND

BEGINNING AT THE ABOVE MENTIONED POINT TEE "L"; THENCE NORTH 02 DEGREES 40 MINUTES 33 SECONDS WEST, 29.00 FEET TO THE POINT OF ENDING;

AND

BEGINNING AT THE ABOVE MENTIONED POINT TEE "M": THENCE SOUTH 02 DEGREES 40 MINUTES 33 SECONDS EAST, 103.41 FEET TO THE POINT OF ENDING;

LEYLA D.
AHMED
PROFESSIONAL
SURVEYOR
49294

SKETCH OF DESCRIPTION

PARTIAL VACATION OF WATER MAIN EASEMENT PART OF THE SOUTHWEST 1/4 OF SECTION 14, T-1-N., R-8-E., CITY OF NOVI, OAKLAND COUNTY, MICHIGAN

	B		16	A SECTION AND ADDRESS OF THE PERSON ADDRESS OF THE PERSON AND ADDRESS OF THE PERSON AND ADDRESS OF THE PERSON ADDRES		•
	A	37		(S)(S)		
•	f f .				3	٠.

Giffels-Webster Engineers, Inc. ENGINEERS LAND SURFEYERS PLANNERS LAND SURFEYERS PLANNERS LANDSCAPE ARCHITECTS 2571 BOND STREST, ROCHESTER BULLS, MI. 42309 (244) 852-3100

DATE: 01	/17/12	CHECKED BX	DATE	SCALE:	1'=100'
DRAWN:	LDA	CA	01/12		
DESIGN:		1		SHEET:	3 OF 4
SECTION:	14	T-1-N., R-8-	E	JOB No:	17844.00

Conter/Ecsements/NTC Porcel Vocated Ecsements/vACATED Town N: /17/17800/17821,00-Novi

RESOLUTION OF THE CITY COUNCIL AUTHORIZING TERMINATION OF SANITARY SEWER EASEMENT

RECITATIONS UNDERLYING THIS RESOLUTION:

The easement for operating, constructing, maintaining and repairing a sanitary sewer granted to the City of Novi (the "City") whose address is 45175 West Ten Mile Road, Novi, Michigan 48375, which easement is located in Section 14 of the City of Novi, as described on the attached and incorporated Exhibit B is the subject matter of this Resolution, and shall be referred to herein as the "Easement".

The owners of the property described in the attached and incorporated Exhibit A, upon which the Easement is located (the "Property"), Novi Town Center Investors, LLC, a Delware limited liability company, whose address is 242 Trumbull Street, Hartford, Connecticut, 06103-1212 (the "Owners"), granted an easement dated June 15, 1987, recorded at Liber 10037, Page 250, Oakland County Records, for a public sanitary sewer located on the Property within the Novi Town Center development. Subsequently, the Owners submitted a new site plan and proposed redevelopment of the Property necessitating relocation of public sanitary sewer and sanitary sewer facilities. New easements will be granted for the newly constructed water and sanitary sewer facilities in accordance with City ordinance requirements. As such, the City has offered to terminate and vacate the existing easement over sanitary sewer improvements that have been properly disconnected from the City's public sanitary sewer system and abandoned. Any costs associated with terminating the easement shall be the Owner's expense.

The appropriate City Officials have investigated the need to maintain the Easement for the benefit of the City's public sanitary sewer system, for the benefit of the Property, and/or for the benefit of surrounding properties. The City Officials have determined it is not necessary to maintain the Easement in the location shown on Exhibit B, and hereby agree to terminate it.

NOW, THEREFORE, IT IS RESOLVED AS FOLLOWS:

I. That the following sanitary sewer easement described in the attached and incorporated Exhibit B, located in Section 14 of the City, described in the Easement Agreement which is recorded at Liber 10037, Pages 250 through 270, Oakland County Records, for operating, constructing, maintaining and repairing a sanitary sewer, be terminated:

{See attached and incorporated Exhibit B}

2. This Resolution shall be recorded with the Oakland County Register of Deeds evidencing the termination called for herein.

AYES: NAYES: ABSTENTIONS:	
Resolution declared adopted.	
STATE OF MICHIGAN)
COUNTY OF OAKLAND) ss.)
	ne foregoing is a true and correct copy of a Resolution adopted by of Novi at the regular meeting held on
2012.	
	MARYANNE CORNELIUS, CITY CLERK

Drafted by: Elizabeth Saarela Johnson, Rosati, Schultz & Joppich 34405 W. Twelve Mile Road, Suite 200 Farmington Hills, MI 48331-5627 (248) 489-4100

When recorded return to: Maryanne Cornelius, Clerk City of Novi 45175 W. Ten Mile Rd. Novi, Ml 48375

LEGAL DESCRIPTION NOVI TOWN CENTER PARCEL (PARCEL ID, NUMBER 22-14-351-063)

A PART OF THE SOUTHWEST QUARTER (1/4) OF SECTION 14 AND A PART OF THE NORTHWEST QUARTER (1/4) OF SECTION 23, TOWN I NORTH, RANGE 8 EAST, CITY OF NOVI, OAKLAND COUNTY, MICHIGAN, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCING AT THE SOUTHWEST CORNER OF SECTION 14 SAID CORNER ALSO BEING THE NORTHWEST CORNER OF SECTION 23, THENCE NORTH 87 DEGREES 28 MINUTES 51 SECOND EAST, 54.00 FEET ALONG THE SOUTH LINE OF SECTION 14 TO THE POINT OF BEGINNING ON THE EAST RIGHT OF WAY LINE OF NOVIROAD (VARIABLE WIDTH); THENCE THE FOLLOWING THREE COURSES BEING ALONG SAID EAST AND SOUTH RIGHT OF WAY LINE; (1) NORTH 02 DEGREES 40 MINUTES 33 SECONDS WEST, 66.98 FEET; AND (2) NORTH 87 DEGREES 29 MINUTES 51 SECONDS EAST, 6.00 FEET; AND (3) NORTH 02 DEGREES 40 MINUTES 33 SECONDS WEST, 177.73 FEET; THENCE NORTH 86 DEGREES 52 MINUTES 49 SECONDS EAST, 259.99 FEET; THENCE NORTH 02 DEGREES 40 MINUTES 33 SECONDS WEST, 87.91 FEET; THENCE NORTH 86 DEGREES 04 MINUTES 47 SECONDS EAST, 48.02 FEET; THENCE NORTH 02 DEGREES 40 MINUTES 33 SECONDS WEST 149.32 FEET TO A POINT ON THE SOUTH LINE OF CROWE DRIVE (VARIABLE WIDTH); THENCE NORTH 87 DEGREES 19 MINUTES 27 SECONDS EAST, 41.14 FEET TO A POINT ON THE EAST RIGHT OF WAY LINE OF WIGERSOL DRIVE (40 FEET WOED; THENCE THE FOLLOWING CYARABLE WIDTH) THENCE NORTH 87 DEGREES 19 MINUTES 27 SECONDS EAST, 41.14 FEET TO A POINT ON THE EAST RIGHT OF WAY LINE OF INGERSOL DRIVE (40 FEET WIDE)) THENCE THE FOLLOWING THREE (3) COURSES BEING ALONG SAD EAST LINE (1) ALONG A CURVE TO THE LEFT 188.48 FEET SAD CURVE HAVING A RADIUS OF 1020,00 FEET, A CENTRAL ANGLE OF 10 DEGREES 35 MINUTES 14 SECONDS, AND A LONG CHORD BEARING OF NORTH 08 DEGREES 12 MINUTES 39 SECONDS WEST, 188.21 FEET; AND CURVE HAVING A RADIUS OF 720.00 FEET, A CENTRAL ANGLE OF 22 DEGREES 02 MINUTES 14 SECONDS, AND A LONG CHORD BEARING OF NORTH 24 DEGREES 31 MINUTES 23 SECONDS WEST, 275.22 FEET; AND (3) NORTH 04 DEGREES 03 MINUTES 03 SECONDS EAST, 48,39 FEET TO A POINT ON THE SOUTHERLY RIGHT OF WAY LINE OF CRESCENT BOULEVARD (77 FEET WIDE): THENCE THE FOLLOWING FOUR (4) COURSES BEING ALONG SAID SOUTHERLY LINE (1) ALONG A CURVE TO THE LEFT 45,61 FEET SAID CURVE HAVING A RADIUS OF 330.50 FEET, A CENTRAL ANGLE OF 07 DEGREES
54 MINUTES 23 SECONDS, AND A LONG CHORD BEARING OF NORTH 39 DEGREES 41 MINUTES 02 SECONDS EAST,
45.57 FEET AND (2) NORTH 35 DEGREES 49 MINUTES 27 SECONDS EAST, 151.76 FEET; AND (3) ALONG A CURVE
TO THE RIGHT 1044,01 FEET SAID CURVE HAVING A RADIUS OF 1161.50 FEET, A CENTRAL ANGLE OF 51 DEGREES
50 MINUTES 00 SECONDS AND A LONG CHORD BEARING OF NORTH 61 DEGREES 34 MINUTES 27 SECONDS EAST,
8009.22 FEET; AND (4) NORTH 87 DEGREES 19 MINUTES 27 SECONDS EAST,
1009.22 FEET; AND (4) NORTH 87 DEGREES 19 MINUTES 27 SECONDS EAST,
1009.22 FEET; AND (4) NORTH 87 DEGREES 19 MINUTES 27 SECONDS EAST,
1009.22 FEET; AND (4) NORTH 87 DEGREES 19 MINUTES 27 SECONDS EAST,
1009.22 FEET; AND (4) NORTH 87 DEGREES 19 MINUTES 27 SECONDS EAST,
1009.22 FEET TO A POINT ON THE 1003.22 FEET: AND (4) NORTH 87 DEGREES 19 MINUTES 27 SECONDS EAST, 206.26 FEET TO A POINT ON THE WESTERLY RIGHT OF WAY LINE OF TOWN CENTER DRIVE (VARIABLE WIDTH): THENCE SOUTH 47 DEGREES 40 MINUTES 33 SECONDS EAST. 840.01 FEET: THENCE SOUTH 87 DEGREES 19 MINUTES 27 SECONDS WEST, 144.46 FEET: THENCE SOUTH 2 DEGREES 40 MINUTES 33 SECONDS EAST. 59.26 FEET: THENCE SOUTH 87 DEGREES 19 MINUTES 27 SECONDS WEST, 127.45 FEET: THENCE SOUTH 2 DEGREES 40 MINUTES 27 SECONDS WEST, 127.45 FEET: THENCE SOUTH 2 DEGREES 40 MINUTES 25 SECONDS WEST, 129.02 FEET: THENCE NORTH 2 DEGREES 40 MINUTES 35 SECONDS WEST, 129.02 FEET: THENCE NORTH 2 DEGREES 40 MINUTES 35 SECONDS WEST, 129.02 FEET: THENCE NORTH 2 DEGREES 40 MINUTES 35 SECONDS WEST, 127.99 FEET: THENCE NORTH 2 DEGREES 40 MINUTES 37 SECONDS WEST, 127.99 FEET: THENCE SOUTH 87 DEGREES 19 MINUTES 37 SECONDS WEST, 127.99 FEET: THENCE SOUTH 87 DEGREES 19 MINUTES 37 SECONDS WEST, 127.99 FEET: THENCE SOUTH 87 DEGREES 19 MINUTES 37 SECONDS WEST, 127.99 FEET: THENCE SOUTH 87 DEGREES 19 MINUTES 37 SECONDS WEST, 127.99 FEET: THENCE SOUTH 87 DEGREES 19 MINUTES 37 SECONDS WEST 638.49 FEETI THENCE SOUTH 6 DEGREES 45 MANUTES 56 SECONDS EAST, 48.17 FEET; THENCE ALONG A NON-TANGENT CURVE TO THE RIGHT 227.70 FEET SAD CURVE HAVING A RADIUS OF 1123.90 FEET, A CENTRAL MIGLE OF 11 DEGREES 36 MINUTES 28 SECONDS AND A LONG CHORD BEARING OF SOUTH 2 DEGREES 10 MINUTES 42 SECONDS EAST, 227.31 FEET; THENCE SOUTH ZERO (0) DEGREES 10 MINUTES 03 SECONDS WEST, 48.21 FEETI THENCE NORTH 87 DEGREES 19 MINUTES 27 SECONDS EAST, 392.75 FEET; THENCE SOUTH 2 DEGREES 40 MINUTES 33 SECONDS EAST, 278.98 FEET; THENCE NORTH 67 DEGREES 19 MINUTES 27 SECONDS EAST, 656.59 FEET TO A POINT ON THE WEST LINE OF TOWN CENTER DRIVE (VARIABLE WIDTH): THENCE THE FOLLOWING TEN (10) COURSES BEING ALONG SAD WEST LINE; (1) SOUTH 02 DEGREES 22 MINUTES 58 SECONDS WEST, 13.40 FEET; AND (2) SOUTH 47 DEGREES 40 MINUTES 33 SECONDS EAST, 38.60 FEET; AND (2) SOUTH 02 DEGREES 40 MINUTES 33 SECONDS EAST, 56.50 FEET; AND (4) ALONG A CURVE LEFT 141.96 FEET SAID CURVE HAVING A RADIUS OF 435.50 FEET, A CENTRAL ANGLE OF 18 DEGREES 40 MINUTES 35 SECONDS EAST, 101.43 FEET; AND (5) SOUTH 20 DEGREES 21 MINUTES 50 SECONDS EAST, 101.63 SOUTH 20 DEGREES 34 MINUTES 27 SECONDS EAST, 101.48 FEET; AND (8) ALONG A NON TANGENT CURVE TO THE RIGHT 84.17 FEET SAID CURVE HAVING A RADIUS OF 353.50 FEET, A CENTRAL ANGLE OF 13 DEGREES 38 MINUTES 32 SECONDS, AND A LONG CHORD BEARING OF SOUTH 03 DEGREES 10 MINUTES 45 SECONDS WEST, 83.97 FEET; AND (9) SOUTH 10 DEGREES 00 MINUTES 30 SECONDS, AND A LONG CHORD BEARING OF SOUTH 03 DEGREES 10 MINUTES 45 SECONDS WEST, 83.97 FEET; AND (9) SOUTH 10 DEGREES 10 MINUTES 30 SECONDS WEST, 9.05 FEET; AND (7) SOUTH 67 DEGREES 11 MINUTES 60 SECONDS WEST, 9.05 FEET; AND (7) SOUTH 67 DEGREES 11 MINUTES 60 SECONDS WEST, 9.05 FEET; AND (7) SOUTH 67 DEGREES 11 MINUTES 60 SECONDS WEST, 9.05 FEET; AND (7) SOUTH 67 DEGREES 11 MINUTES 60 SECONDS WEST, 9.05 FEET; AND (7) SOUTH 67 DEGREES 11 MINUTES 60 SECONDS WEST, 9.05 FEET; AND (7) SOUTH 67 DEGREES 11 MINUTES 60 SECONDS WEST, 9.05 FEET AND (7) SOUTH 67 DEGREES 11 MINUTES 60 SECONDS WEST WEST 638,49 FEET; THENCE SOUTH 6 DEGREES 45 MINUTES 56 SECONDS EAST, 48,17 FEET; THENCE ALONG 06 SECONOS WEST, 9.05 FEET TO A POINT ON THE NORTHERLY RIGHT OF WAY LINE OF GRAND RIVER AVENUE (VARIABLE WIDTH): THENCE NORTH 74 DEGREES 16 MINUTES 33 SECONDS WEST, 195.56 FEET ALONG SAD NORTHERLY LINE: THENCE NORTH 06 DEGREES 47 MINUTES 48 SECONDS EAST, 87.34 FEET; THENCE NORTH O2 DEGREES 46 MINUTES 49 SECONDS EAST, 68.75 FEET; THENCE SOUTH 85 DEGREES 52 MINUTES
56 SECONDS EAST, 99.91 FEET; THENCE NORTH 04 DEGREES 06 MINUTES 34 SECONDS EAST, 163.28 FEET;
THENCE SOUTH 87 DEGREES 28 MINUTES 51 SECONDS WEST, 200.00 FEET; THENCE NORTH 02 DEGREES
40 MINUTES 33 SECONDS WEST, 166.35 FEET; THENCE SOUTH 87 DEGREES 28 MINUTES 51 SECONDS WEST,
432.79 FEET; THENCE SOUTH 13 DEGREES 38 MINUTES 41 SECONDS WEST, 287.42 FEET TO A POINT ON 432.79 FEET; THENCE SOUTH 13 DEGREES 38 MANUTES 41 SECONDS WEST, 287.42 FEET TO A POINT ON THE NORTHERLY RIGHT OF WAY LINE OF GRAND RIVER AVENUE; THENCE THE FOLLOWING THREE (3) COURSES BEING ALONG SAID NORTHERLY LINE (1) NORTH 74 DEGREES 00 JANUTES 17 SECONDS WEST 698.96 FEET; AND (2) SOUTH 03 DEGREES 08 MINUTES 60 SECONDS EAST, 3.88 FEET; AND (3) NORTH 74 DEGREES 02 MINUTES 07 SECONDS WEST, 79.81 FEET TO A POINT ON THE EASTERLY RIGHT OF WAY LINE OF NOVI ROAD (VARIABLE WADTH)) THENCE NORTH 42 DEGREES 20 MINUTES 47 SECONDS WEST, 85.67 FEET ALONG SAID EASTERLY LINE TO THE POINT OF BEGINNING AND CONTAINING 34,968 ACRES. LEVI LEVI

SKETCH OF DESCRIPTION

PARTIAL VACATION OF SANITARY SEWER EASEMENT PART OF THE SOUTHWEST 1/4 OF SECTION 14 : AND NORTHWEST 1/4 OF SECTION 14


T-1-N, R-8-E, OAKLAND COUNTY, MICHIGAN

Giffels-Webster Engineers, Inc. ENGINEERS LUND SURVEYORS PLANNERS LANDSCAFE ARCHITECTS 2871 BOXID STREET, ROCHESTER HILLS, MI. 45308 (248) 852-3100


2	D 0001	TII, DUCO	TIONII		<u> </u>	40004-1
١	DATE:	01/17/12	CHBCKBD BY	DATE	SCALE	40294 143001
	DRAWN:		CA	01/12	1777	, 8,94 <u>7,</u> ession ^{1,7}
į	DESIGN:				SHEET:	40£4
Ì	SECTION	: 14 & 23	T-1-N., R-8	E.	JOB No:	17821.00

Eggements/Vocoted Vacoted

PROFESSIONAL SURVEYOR



ଡ୍ଲ



LEGAL DESCRIPTION

PORTION OF SANITARY SEWER BASEMENT TO BE VACATED

A PART OF THE SOUTHWEST QUARTER (1/4) OF SECTION 14, TOWN 1 NORTH, RANGE 8 EAST, CITY OF NOW, OAKLAND COUNTY, MICHIGAN, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCING AT THE SOUTHWEST CORNER OF SECTION 14 SAID CORNER ALSO BEING THE NORTHWEST CORNER OF SECTION 23, THENCE NORTH 87 DEGREES 28 MINUTES 51 SECONDS EAST, 851.15 FEET ALONG THE SOUTH LINE OF SECTION 14; THENCE NORTH 02 DEGREES 40 MINUTES 33 SECONDS WEST, 134.97 FEET TO THE POINT OF BEGINNING OF A CENTERLINE OF 20 FEET MIDE EASEMENT FOR SANITARY SEWER AS RECORDED IN LIBER 10037, PAGE 250, OAKLAND COUNTY RECORDS SAID POINT ALSO BEING THE POINT OF BEGINNING OF A CENTERLINE OF 20 FEET WIDE EASEMENT FOR SANITARY SEWER TO BE VACATED; THENCE NORTH 87 DEGREES 19 MINUTES 27 SECONDS EAST, 30,10 FEET TO THE POINT OF ENDING.

AND

A PART OF THE SOUTHWEST QUARTER (1/4) OF SECTION 14, TOWN 1 NORTH, RANGE 8 EAST, CITY OF NOVI, OAKLAND COUNTY, MICHIGAN, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCING AT THE SOUTHWEST CORNER OF SECTION 14 SAID CORNER ALSO BEING THE NORTHWEST CORNER OF SECTION 23. THENCE NORTH 87 DEGREES 28 MINUTES 51 SECONDS EAST, 1602.65 FEET ALONG THE SOUTH LINE OF SECTION 14; THENCE NORTH 02 DEGREES 40 MINUTES 33 SECONDS WEST, 667.19 FEET; THENCE SOUTH 87 DEGREES 19 MINUTES 27 SECONDS WEST, 139.50 FEET TO MH #17 AS RECORDED IN LIBER 10037, PAGE 250, OAKLAND COUNTY RECORDS; THENCE CONTINUING SOUTH 87 DEGREES 19 MINUTES 27 SECONDS WEST, 24.98 FEET TO THE TO THE POINT OF BEGINNING OF A CENTERLINE OF 20 FEET WIDE EASEMENT FOR SANITARY SEWER TO BE VACATED; THENCE CONTINUING ALONG SAID CENTERLINE SOUTH 87 DEGREES 19 MINUTES 27 SECONDS WEST, 258.02 FEET TO MH #24; THENCE SOUTH 02 DEGREES 40 MINUTES 33 SECONDS EAST, 92.77 FEET TO THE POINT OF ENDING; THENCE CONTINUING FROM SAID MH #24 SOUTH 87 DEGREES 19 MINUTES 27 SECONDS WEST, 142.33 FEET TO THE POINT OF ENDING.

LEYLAD.
AHMED
PROFESSIONAL
SURVEYOR
A9294

OFESSION

CHARLES WHILE SHERVING NOT THE

SKETCH OF DESCRIPTION

PARTIAL VACATION OF SANITARY SEWER EASEMENT PART OF THE SOUTHWEST 1/4 OF SECTION 14, T-1-N., R-8-E., CITY OF NOVI, OAKLAND COUNTY, MICHIGAN

			W	
 _	 	 		

Giffels-Webster Engineers, Inc. ENCINEERS LUM SURTINGS PLANTES MADSCUS ACCUTECTS 1801 STREET, ROCKESTOR HILLS, MI. 45509 (248) 862-3100

DATE: 01/17/12	CHECKED BY	DATE	SCALE:	1"=100"
DRAWN: LDA	CA	01/12		
DESIGN:			SHEET	3 OF 4
SECTION: 14	T-1-N., R-8-E.		JOB No:	17844.00