

CITY of NOVI CITY COUNCIL

Agenda Item 7 October 22, 2018

SUBJECT: Approval to purchase a 2019 F-550 Swaploader with attachments from Signature Ford through the Macomb County Cooperative Purchasing Contract, in the amount of \$121,479.

SUBMITTING DEPARTMENT: Department of Public Works, Fleet Asset Division

Integrated Solutions, Parks Maintenance

CITY MANAGER APPROVAL:

EXPENDITURE REQUIRED	\$ 122,394
AMOUNT BUDGETED	\$ 130,000
APPROPRIATION REQUIRED	N/A
LINE ITEM NUMBER	101-265.10-984.031

BACKGROUND INFORMATION:

Parks Maintenance is requesting the purchase of a new one-ton truck with a front plow and three attachments – a dump body, a chipper box, and a stake rack bed. The different attachments are needed for separate functions at each park. This truck will allow the following tasks to be completed efficiently and effectively.

- Transporting landscaping materials throughout the parks
- Hauling trailers and equipment
- Transporting tools and personnel
- Winter maintenance (plowing) in the parks system
- Moving park equipment (benches, cans, etc.)
- Distributing janitorial supplies to various bathroom locations
- Moving athletic field equipment from park to park

This request was approved in the CIP as project FPM006.

RECOMMENDED ACTION: Approval to purchase a 2019 F-550 Swaploader with attachments from Signature Ford through the Macomb County Cooperative Purchasing Contract, in the amount of \$121,479.



August 7, 2018

City of Novi Attn: Mike Rhatigan 45175 W. Ten Mile Road Novi, MI 48375

Attn: Mike Rhatigan:

Price on 2019 Vehicle State of Michigan Contract# 071B1300009 and Macomb County Contract# 71-15 Bid:

2019 Ford F550 Regular Cab 4x4 Chassis 169" WB, 84" CA in Red \$37,534.00 ea

<u>Standard Service Contract:</u> 36,000 miles or 36 months factory Bumper to Bumper Warranty and 60,000miles 60 months Powertrain Warranty . Service to be handled by your local Ford Dealer.

Order Cutoff Date: TBD.

Ford Motor Company does not guarantee delivery---Ford Motor Company will make reasonable efforts to schedule orders received prior to fleet order cut-off date.

<u>Payment requirements:</u> All departments to pay on delivery of vehicle. 30-day grace period will be given if previous arrangements have been made. A \$9.50 per day floor plan will be charged if payment is not at the dealership within 30 days of delivery of the vehicle (s).

If you have any questions please call me, 888-92-FLEET (923-5338)

Respectfully Submitted,

Bill Campbell

Bill Campbell Government & Fleet Sales

Macomb Co# 71-15, T.13

2019 F-550 DRW-Chassis Cab Reg. Cab, SuperCab, Crew Cab Major Standard Equipment

MECHANICAL

- Brakes Four-wheel Disc Brakes; Anti-lock Brake System(ABS)
- · Engine
- 6.8L 3 Valve Gas SOHC EFI NA V10 (F-450/F-550)
- Transmission TorqShift® Six-Speed automatic w/SelectShift® automatic (6R140)

EXTERIOR

- · Bumper front, black painted
- Fender vents front
- Front License Plate Bracket
- Fuel Tank
- -40 gallon aft axle
- Glass solar-tinted
- Grille black painted
- · Scuff plates front, color-coordinated
- · Splash Guards/Mud Flaps Front
- · "Three Blink" Lane change signal
- Tow hooks front (2)
- Trailer wiring 7 wire harness w/relays, blunt cut & labeled
- · Wheels
- F-450 & F-550 19.5" Argent Painted Steel
- Manual Locking Hubs (4x4)
- · Windshield Wipers intermittent

INTERIOR/COMFORT

- 2.3" Productivity Screen in IP Cluster Instrumentation Center
- Multi-function switch message center display with Ice $Blue \otimes Lighting$.
- · 12V Powerpoint, auxiliary
- Air conditioning single-zone, manual
- · Air conditioning vents black w/chrome ring and knob
- Cabin Air Particulate Filter
- Convenience
- Coat hooks, LH/RH color-coordinated
- Dash top tray
- Dome lamp LH/RH door activated & I/P switch operated w/delay
- Handles, grab driver & front-passenger
- Handles, roof ride front-passenger (also over rear-doors on Crew Cab)
- Map lights dual (front and rear w/Crew Cab)
- 12V Powerpoint, auxiliary
- Gauges and Meters Fuel, Transmission Temperature, Engine Coolant Temperature, Oil Pressure (Gas engine) and Turbo (Diesel engine) Gauges; Speedometer, Odometer and Tachometer.
- · Headliner color-coordinated cloth
- Instrument panel color-coordinated w/dual glove boxes, four (4) air registers w/positive shut-off and powerpoint
- Instrumentation Center
- 2.3" LCD Productivity Screen in IP Cluster
- Door-trim armrest/grab handle and reflector
- · Floor covering black, full length vinyl
- Mirror rearview 11.5" day/night
- · Outside Temperature Display
- · Overhead Console with 6 Upfitter Switches

- Seat Front, HD vinyl, 40/20/40 split bench w/center armrest, cupholder and storage (manual lumbar – driver's side)
- Steering power
- · Steering damper
- Steering wheel black vinyl with tilt and telescoping steering wheel/column; includes three (3) button message control
- Sun visors color-coordinated vinyl, driver w/pocket, passenger w/uncovered mirror insert with 6 inch overhead
- Upfitter switches 6 located in Overhead Console
- · Window Rear, fixed

SAFETY/SECURITY

- AdvanceTrac® with RSC® (Roll Stability Control™)
- · Airbags
- Driver and Passenger frontal and side airbag/curtain
- Passenger side airbag deactivation switch
- AutoLamp Auto On/Off Headlamps
- Child tethers (Regular Cab front-passenger and all rearseating positions)
- Driver and passenger frontal and side airbag/curtain; passenger side deactivation switch
- Headlamps Quad beam jewel effect halogen
- Lamps LED Roof marker/clearance
- Mirrors manually telescoping two-way fold trailer tow with manual glass
- · Safety Belts
- Belt-Minder® (front safety belt reminder) chime and flashing warning lights on I/P if belts not buckled
- Color-coordinated safety belts w/height adjustment (frontoutboard seating positions only)
- Safety Canopy® System
- SOS Post-Crash Alert System™
- Stationary Elevated Idle Control (SEIC)
- · Underhood service light

DRIVER ASSIST

 AutoLamp (Auto On/Off Headlamps) with Rainlamp Wiper Activated Headlamps

FUNCTIONAL

- · Alternators:
- 6.8L 3 Valve Gas Heavy-Duty 240 AMP
- 6.7L 4 Valve OHV Power Stroke® V8 Turbo Diesel Extra Heavy-Duty 220 AMP
- Audio AM/FM stereo (speakers; four (4) w/Reg. Cab, six (6) w/Super and Crew Cabs)
- · Battery
- -750 CCA, 78 AH, Dual (6.7L Power Stroke® Diesel engine only)
- 750 CCA, 78 AH (6.8L Gas engine only)
- · Hood release
- Horn dual electric
- Intelligent Oil-Life Monitor® (6.7L Power Stroke® Diesel engine)
- Oil minder system (6.8L Gas engine)
- Shock absorbers heavy-duty gas
- · Springs, rear auxiliary
- Stabilizer bar front and rear

18,000# GVWR, 11,500 PAYLOAD Reg. Cab 145 WB, CA 60", 18,000# C [] Base Price (F5G/660a) 4x2 [] Base Price (F5H/660a) 4x4	3VWR, 11,200 I	\$30,382.00 \$32,931.00
18,000# GVWR, 11,400 PAYLOAD Reg. Cab WB 169, CA 84", 18,000# C [] Base Price (F5G/660a) 4x2	3VWR, 11,100 F	\$31,004.00
[x] Base Price (F5H/660a) 4x4		\$33,549.00
18,000# GVWR, 11,300 PAYLOAD Reg. Cab 193 WB, CA 108", 18,0	000# GVWR 11	000 PAVLOAD
Base Price (F5G/660a) 4x2	700% G V W IC, 11	\$31,158.00
Base Price (F5H/660a) 4x4		\$33,703.00
		555,765.00
18,000# GVWR, 11,100 PAYLOAD Reg. Cab WB 205, CA 120", 18,000#	GVWR, 10,700	PAYLOAD
[] Base Price (F5G/660a) 4x2		\$31,312.00
[] Base Price (F5H/660a) 4x4		\$33,861.00
18 000# CVVVD 11 100 DAVI OAD C O.L WD 160 GA 608 10 000#	OVIII 10 000	D.1111 O.1 D
18,000# GVWR, 11,100 PAYLOAD SuperCab WB 168, CA 60", 18,000# [] Base Price (X5G/660a) 4x2	GVWR, 10,800	
		\$32,960.00
[] Base Price (X5H/660a) 4x4		\$36,031.00
18,000# GVWR, 11,000 PAYLOAD SuperCab WB 192, CA 84", 18,000# GVWR	GVWR. 10,700	PAYLOAD
[] Base Price (X5G/660a) 4x2		\$33,115.00
[] Base Price (X5H/660a) 4x4		\$36,186.00
		550,25000
18,000# GVWR, 10,900 PAYLOAD Crew Cab WB 179, CA 60", 18,000#	GVWR, 10,600	
[] Base Price (W5G/660a) 4x2		\$33,715.00
[] Base Price (W5H/660a) 4x4		\$36,786.00
18,000# GVWR, 10,800 PAYLOAD Crew Cab WB 203, CA 84", 18,6	000# GVWP 0	OOO DAVI OAD
Base Price (W5G/660a) 4x2	700# G V WIC, 2,	\$33,869.00
Base Price (W5H/660a) 4x4		\$36,944.00
[] Dase Title (Wellboom) 424		320,711.00
		Price
Available Standard Options	Option Reg	g.&Super/CrewCab
[] 6.7L Power Stroke 4V Diesel V8 (B20)/TorqShift 6-Spd Auto.		3595.00
[] Seats, 40/20/40 Split Bench Cloth	1S	100.00/315.00
[] Seat, Vinyl 40/Mini-Console/40 (Regular Cab only)	LS	355.00
[] Seats, Cloth 40/Mini-Console/40	2S THB	515.00/615.00
 LT225/70Rx19.5 BSW Traction, incl. 4-Traction on the rear & 2 A/S tires on the front, Option Spare is A/S 	IND	190.00
[] LT225/70Rx19.5 BSW Max Traction-4x4 only, Continental,	TGB	215.00
Incl. 4-traction tires on the rear & 2 traction tires on the front-		
[] Stainless Steel Wheel Cover	945	380.00
[] Engine Idle Shutdown (avail. w/6.7L diesel Only) 5-Minutes	86A	250.00
[] Engine Idle Shutdown (avail. w/6.7L diesel Only) 10-Minutes	86B	250.00
[] Engine Idle Shutdown (avail. w/6.7L diesel Only) 15-Minutes	86C	250.00
[] Engine Idle Shutdown (avail. w/6.7L diesel Only) 20-Minutes	86D	250.00
[] Operator Commanded Regeneration (OCR) (6.7L Diesel Only		250.00
[x] Transmission Power Take-Off Provision	62R	280.00
[] Axle, Limited Slip X4	N/X4L/X8L	360.00

	[x]	Power Windows, Locks, Heated Mirrors, and Remote	90L/54K	915.00/1125.00cc	
	[]	Keyless Entry Utility Lighting System (LED Side-mirror Spotlights Require	s 63A	160.00	
	гı	Power Equipment Group 90L/54K) Speed Control	525	235.00	
		XL Decor Group (Chrome front bumper)	17F	220.00	
		XL Value Pkg (Chrome front bumper, AM/FM Stereo/SYNC		1000.00	
	1 1	& Cruise Control	, 30 v	1000.00	
	۲1	SYNC Bluetooth System	585	550.00	
	ii	Daytime running Lights	942	45.00	
	ii	2-Ton Mechanical Jack	61J	55.00	
	[x]	Spare Tire & Wheel-Includes 2-ton mechanical jack	512	350.00	
		Dual Alternators, Diesel only (total of 377 amps)	67B	115.00	
		110V/400W Outlet	43C	75.00	
	-	Electric Shift on the fly (4x4 6.7L Diesel Engine Only)	213	185.00	
		Upfitter Interface Module	18A	295.00	
	[]	Skid Plate Transfer Case 4x4 only (SuperCab & CrewCab Onl	y) 41P	100.00	
	[]	Fuel Tank- 28 Gallon Mid-Ship-Replaces 40 gal. aft-axle ta		125.00	
	[]	Fuel Tank-Dual Diesel (Adds 28 Gal. Mid-Ship to the 40 Gal.A	ft.) 65C	625.00	
	[]	Keys Extra (Regular) \$75.00 x=	Sig	75.00 ea	
	[]	Keys Extra (With Power Group) \$220.00 x=	Sig	220.00 ea	
	[]	Trailer Tow Package High Capacity-Req.6.7L Diesel &	535	1,080.00	
		4.30 LS Rear Axle, has after market trailer brake wiring kit,			
		No brake controller included, Increases GCWR on diesel			
		engine from 26,000# to 28,000#	-0-	005.00	
		Speed Control	525	235.00	
[x] Payload Upgrade Package (6.8L V10 & 145" WB Only, 68U 850.00					
	rı r	Inc. 4.88 LS Axle, Increases GVWR from 18,000# to 19,0		1515.00	
	[] 1	Payload Plus Upgrade Package(N/A w 145"WB Gas Engine, Inc. 4.88 LS Axle, Increases GVWR from 18,000# to 19,500		1313.00	
	г 1	Low Deflection Package-recommended for rear-biased	86S	110.00	
	11	loading, such as wreckers/retriever application, N/A with 14		110.00	
	1 1	Integrated Trailer Brake Controller	52B	270.00	
		Cab Steps-Black Molded	18B	320.00/370.00	
		Privacy Glass with Heated Backlight/Rear Window Defrost	43B/924		
	ii	Extra HD Front End Suspension – GAWR 7,500 lbs (N/A 67		285.00	
	[]		67X	125.00	
	ii		67H	125.00	
	[x]		473	85.00	
			76C	140.00	
		Rearview Camera Prep Kit (Includes Loose Camera, Wi	ring 872	415.00	
Bundle, and Electrochromic Mirror w/Video Display)					
	[x]	LED Warning Strobes-Amber	91S/59H	655.00	
		67H) [] Extra Heavy Suspension Package(N/A 67H or 473) 67X 125.00 [] Suspension Package, Heavy Service(N/A 67X or 473) 67H 125.00 [x] Snow Plow Prep Package(N/A 67H or 67X) 473 85.00 [x] Exterior Back up Alarm 76C 140.00 [x] Rearview Camera Prep Kit (Includes Loose Camera, Wiring 872 415.00			

Total Price \$37,534.00 ea

Colors for F-550

Exterior Colors	Interior Steel (Grey)		
Race Red	[PQ]	[x]	
Blue Jeans Metallic	[N1]	[]	
Ingot Silver Metallic	[UX]	[]	
Agate Black	[UM]	Ĺĺ	
Oxford White	[Z1]	Ĺĵ	
Magnetic Metallic	[J7]	ΪĴ	
Stone Gray	{D1}	i i	
SPECIAL PAINT		- N	
School Bus Yellow Add \$660.00	[BY]	[]	
Omaha Orange Add \$660.00	[MB]	[]	
Green Gem Add \$660.00	[W6]	[]	



September 7, 2018

City of Novi

Attn: Mike Rhatigan, Fleet Asset Manager 45175 Ten Mile Road, Novi, MI 48375-3024

Equipment Quotation

The following pricing is based on City of Rochester Hills RFP-RH-13-030 contract awarded November 2013

Chassis: 2019 F550 4x4 Regular Cab, 169" WB, 84" CA, payload upgrade to 19,000# GVWR, 6.8L 3 valve gas engine, auto transmission with live PTO provision & snow plow prep package

Install SwapLoader hooklift Hoist model SL-105 including the following:

Compatible for 84" CA

Dump capacity minimum 10,500 lbs.

Hook height to bottom of pin 36"

Body length 10-11'

Sliding jib design

Dual lift and dump cylinders

Low pressure hydraulics

Dual rear pivot section

Integral duel counterbalance valves

Jib lock-out system

Nylatron slide pads

4 years parts and 1-year labor warranty

Install Hydraulic System to operate SwapLoader Hoist including the following:

Chelsea hotshift power take-off with direct-mounted 12.9 GPM pump with speed control

30-gal side-mounted stainless steel tank with return line oil filter and shut-off valve

Low-oil shutdown sensor

Force America Add-A-Fold 2010 Valve, 12-volt actuated valve with hoist & jib functions

Stainless steel valve enclosure mounted on frame

All necessary hoses and fittings

Return line header

Install Force America 5100EX Spreader Controller including the following:

A fully-integrated, all-in-one spreader control

Manual, open- and closed-loop controller modes

Accurate application of granular and liquid pre-wetting materials

Compact, rugged design with intuitive navigation and comfort

Integration with PreCise MRM AVL/GPS including antenna and harnesses for both chassis, controller,

1015263 Finassy control box and RoadWatch cable

Install Custom Chassis Lighting & Electrical including the following:

One (1) SoundOff Pinnacle (mo. EPL7PDPC) amber/green mini lightbar on cab roof 3rd brake light bracket Rear stainless steel 3-hole lightboxes including LED marker lights and LED 6" oval SoundOff backup lights,

one (1) of each oval solid-amber & solid-green flashers and with STT lights (mounted in outside holes)

Two (2) 4" Weldex LED work lights mounted rear-facing on bottom of lightboxes

Backup alarm

Electrical disconnects for attachments will be located behind cab/driver's side



OEM switches will be used for the following:

Front flashers Rear flashers

InPower switch console includes the following:

PTO on (Override)

Hoist up

Hoist down

Jib in

Jib out

Indicator lights in console include the following:

PTO on indicator

Low oil indicator

Install Miscellaneous including the following:

Install prybar holder (see photo for mounting) on vertical tower assembly, passenger-side

Install poly fender kit with mudflaps

Install RoadWatch wireless temp sensor chassis-mounted

Install Conspicuity Tape as necessary on chassis

Install WeatherTech Floor Liners, 1st row, Black (mo. 4410541V)

Install Luverne Grip-Step Foot Rails for Regular Cab on both sides (mos. 415060 & 401721)

Install 3/4" Rear Hitch Plate including the following:

Class IV receiver tube

D-rings for safety chains

7-way round electrical connector

Install Electric Brake Controller

Install Pro-Vision TV-205A Rearview Camera System including the following:

Infrared VLI series night-vision camera and 5" LCD display (does not include wash system)

LED backlighting and wired to be "always on" to view rear traffic

Rearview camera mounted at rear on rear lightbar

5-year limited warranty

Install Western 8.5' Pro Plus Front Plow including the following:

Electric / Hydraulic power unit

Frame attaching mounting brackets

UltraMount hitch assembly

Plow lights and all necessary wiring

Handheld controller

Rubber snow deflector mounted on top of the moldboard

Above chassis-installed equipment price: \$45,320.00 ea.

Base Attachment #1

Install 10' Crysteel E-Tipper Dump Body including the following:

Dump body attachment on 10' SwapLoader subframe SL-105 with rear heavy-duty steel drum wheels

120" length, 87" inside width

16" side height, 22" tailgate

9" x 35" flame-cut window

Crossmemberless design

Boxed top rail

10-gauge body sides and ends constructions



7-gauge A1011 floor construction

Sloped running boards

3-panel tailgate construction with quick-drop design

Body shall be painted Red

Drop-down sides with bumpers

Install conspicuity tape as necessary

Install Roll-Rite manually-operated semi-automatic tarp system including a mesh-type tarp on dump Base Attachment #1 installed pricing: \$10,165.00 ea.

Base Attachment #2

Install 10' Flatbed Stake Rack Body including the following:

Hook and skid assembly to fit SwapLoader SL-105

Four (4) steel drum rollers installed in the end of the bed deck

10' long deck plus 18" beavertail, 91" wide deck

96" OD wide flatbed includes a 1/4" treadplate deck

Custom understructure, 2" x 6" outer rail, 56" open center

1/4" stake pockets and 2-1/2" x 3/8" outside tie rail

Tie rail terminated to stake, rear row of stake pockets on flat area before beaver tail

50" x 96" front bulkhead with 24" solid bottom panel

Window built into bulkhead with 24" high expanded metal screen

48" stake rack sides and rear barn-door style swing gate

Six (6) D-rings installed on deck

Body is painted Black

Removable stake racks and bulkhead are powder-coated Black

Install conspicuity tape along tie rail

Base Attachment #2 installed pricing: \$14,330.00 ea.

Base Attachment #3

Install 11' Arbortech Forestry Chipper Body including the following:

Hook and skid assembly to fit SwapLoader SL-105

Steel drum rollers at the end of the skid assembly

132" long, 96" wide, 60" inside height (14.75 cu yard capacity)

Body Construction:

3" structural channel crossmembers @ 4.1 lbs. per ft.

Longsills will be a SwapLoader skid assembly

10 ga. galvanneal floor

Two 7" x 1/4" formed channel as with rear upright support posts

Two 7 ga. corner gusset plate with light pockets

One 4" x 4" x ¼" rear support tube

Side panels:

12 ga. galvanneal steel flat sides with inside vertical reinforcements

Side panel radius:

12 ga. galvanneal steel 5" formed radius at top

Front panel:

12 ga. galvanneal steel flat panel with formed seams

Top panel:

14 ga. galvanneal steel latitudinal ribs with formed rooftop rib vents

Tailgate:

16 ga. galvanneal steel double-walled



Hold open retainer

Right-hand swing 270 degree with locking pin

30" high, two 4" long heavy-duty welded hinges, 34" bolt pins and sleeves with grease zerks

Lighting and Paint:

Seven 2.5" side marker clearance ID lights with reflective lenses

Two 2.5" front marker clearance lights

Paint:

One-color Red, paint code required

Undercoating on underside of floor and wheel wells

Coal tar epoxy treatment on interior of box

Three-year "No Rust, No Bust" warranty

Skid:

Body attachment on 11' SwapLoader subframe with 54" hook height

Rear heavy-duty steel drum wheels

Install electric plug and extend wiring harmer from rear of the body to front corner, equip with 7-way plug

Install two (2) round SoundOff LED STT light in upper rear corners, wire to plug

Install two (2) round SoundOff LED flashers, solid-amber & solid-green in upper rear corners, wire to plug

Install LED clearance light kit and wire to the plug

Install conspicuity tape as necessary

Base Attachment #3 installed pricing: \$15,045.00 ea.

Payment Terms: Net 30. Pricing effective for 45 days.

Pricing does not include any of the Rochester Hills RFQ discounts that may be applicable.

2% discount off total taken at invoice if payment received within 30 days.

FOB: City of Novi

Delivery: 240-300 days ARO

Thank you for the opportunity to quote.

Respectfully submitted by, Jon Luea/Brian Bowman