CITY of NOVI CITY COUNCIL



Agenda Item 1 April 8, 2013

SUBJECT: Approval to award the construction contract for the purchase and installation of playgrounds at Lakeshore Park & Rotary Park, to Superior Play LLC, in the amount of \$150,000.

SUBMITTING DEPARTMENT: Novi Parks, Recreation and Cultural Services

CITY MANAGER APPROVAL:

11	-
EXPENDITURE REQUIRED	\$ 150,000
AMOUNT BUDGETED	\$ 150,000
APPROPRIATION REQUIRED	NA
LINE ITEM NUMBER	208-691.00-974.103 (\$85,000) 208-691.00-974.104 (\$65,000)

BACKGROUND INFORMATION:

The current structures at Lakeshore and Rotary Park have exceeded its useful lives of 10 to 15 years. Both playground structures are also non-compliant with ASTM F1487 (Standard Consumer Safety Performance Specification for playground Equipment for Public Use) & ASTM F1951 (Standard Specification for determination of Accessibility of Surface System under and around Playground Equipment) of the National Playground Safety Institute.

We will also be relocating the Rotary Park playstructure due to the current location being close to a gravel path in a drainage swale, making it difficult to maintain the safety surfacing—so the proposed location of the new playground for Rotary Park playstructure will be to relocate the playground to the Eastside of the pavilion that is currently on sight and have play elements. We will also be installing a 8' x 4' concrete sidewalk from the Pavilion to the playground and ADA access wedge.

As for the Lakeshore Park playstructure, we decided that since the current structure is tucked back into the woods at Lakeshore a nature-inspired playground collection is a natural fit. This structure will combine the adventure and wonder of nature with the durability, safety and low maintenance of high-quality play equipment.

The following play structures will be removed and installed for the 2013 season. Below is a breakdown of what will be done at the Lakeshore Park and Rotary Park areas pertaining to each playstructure site install.

Lakeshore Park Play Structure

 Proposal includes removal of existing playstructure, sign and bench currently located at the playground site and excavation of the playground area to 12" depth.

- 2. Supply and installation of 5-12yr old nature inspired playstructure, a 2-5yr old nature inspired playstructure, a glass fiber reinforced concrete (GFRC) log Crawl tunnel and a GFRC Log Bench.
- 3. Supply and installation of 12" of engineered wood fibers (EWF) which will meet/exceed the minimum requirements of ASTM 1292 for these structures.
- 4. Matching age appropriate playground signs describing the design age and safety rules.
- 5. Includes the restoration of all areas disturbed by construction.
- 6. Include the color scheme has been designed to be in support of Natural theme inspired playstructure (Note: we do have the option to choose from an extensive available color palette as well)
- 7. Attached is 2-5yr old and 5-12yr old playground design

Rotary Park Play Structure

- 1. Proposal includes removal of existing playstructure and swing set currently located at the playground site and excavation of the playground area to 12" depth.
- 2. Includes the supply and installation of a 5-12yr old playstructure, and a 2-5yr old playstructure.
- 3. Includes the supply and installation of TuffTimber Recycled Blastic Borders and ADA Access Wedge.
- 4. Includes the installation of an 8' x 4' concrete sidewalk from the Pavilion to the playground
- 5. Include the supply and installation of 12" of engineered wood fibers (EWE) which will meet/exceed the minimum requirements of ASTM 1292 for these structures.
- 6. Includes matching age-appropriate playground signs describing the design age and safety rules.
- 7. Includes the restoration of all areas disturbed by construction
- 8. Includes a color scheme designed to be in support of a contemporary/modern theme. (Note: We do have the option to choose from an extensive available color palette as well)
- 9. Attached is the 2-5yr old & 5-12yr old playground design.

Five bids were received and opened on February 26, 2013 following a public bid solicitation period. The evaluation team met and viewed all the equipment materials submitted with the RFP proposals which contained nuts and bolts, post and clamps, and floor decks and GFRC (if available).

Each playground company was weighted separately on the following criteria:

- 1. Completeness of proposal
- 2. Evaluation of proposed product and design
- 3. Evaluation of firm background/experience, personnel, subcontractors
- 4. References

The Request for Proposal with the highest rated proposal went to Superior Play LLC. Superior Play LLC was recommended as being in the best interest and complying with all requirements of the bidding instructions and they stayed true to the Nature Based Inspired Themed for Lakeshore Park. A QBS group tally for RFP playground equipment for Lakeshore Park and Rotary Park is located below.

Lakeshore and Rotary Park playstructure work is scheduled to begin this spring and be completed no later than the end of April 2013 (weather permitting).

	Play Environments	Miracle Midwest	Playworld Midstates	Sinclair Rec	Superior Play	Total
Evaluator 1	255	180	405	305	355	1500
Evaluator 2	242.5	245	315	280	417.5	1500
Evaluator 3	95	265	295	425	420	1500
Evaluator 4	300	205	385	165	445	1500
Evaluator 5	160	235	390	215	500	1500
TOTAL	1052.5	1130	1790	1390	2137.5	7500
			2	3	1	

City of Novi QBS Group Tally for RFP Playground Equipment - Lakeshore & Rotary Park

RECOMMENDED ACTION: Approval to award the construction contract for the purchase and installation of playgrounds at Lakeshore Park & Rotary Park, to Superior Play LLC, in the amount of \$150,000.

Ν

	1	2	Υ	Ν		1	2	Ŋ
Mayor Gatt					Council Member Margolis			
Mayor Pro Tem Staudt					Council Member Mutch			
Council Member Casey					Council Member Wrobel			
Council Member Fischer								



All P.O.'s Contracts or Checks Payable to:

Superior Play, L.L.C. 889 S. Old US Highway 23 Brighton, MI 48114 USA

F	Proposal
Date	Proposal #

3/28/2013 13-201-5

Bill To:

City of Novi Parks and Rec Scott Pratt 45175 West 10 Mile Road Novi, MI 48375 United States

Ship To

MRC For combined LakeshorePlayground And Rotary Park Playground

Customer Contact	Customer Phone	Customer Fax	Terms	P.O. No.	Rep
Scott Pratt	(248) 347-0400	(248) 347-3286	Net 30		LAS

Item	Description	Qty	Weight	Price	Total
	Lakeshore Playground				
Removal	Remove and dispose of existing play equipment.	1		3,000.00	3,000.00
Excavate	Excavate existing wood chip play area to a depth of 12'	1		2,040.00	2,040.00
	from finish grade and haul off site.				
Install	Professional Certified Installation of playground	1		11,156.25	11,156.25
	equipment and furnishings per design #63898-1				
EWF-I	Engineered Wood Fiber - Installed	90		30.00	2,700.00T
	Rotary Park Playground				
Removal	Remove and dispose of 2 bay single post swing and structure.	1		1,410.00	1,410.00T
Excavate	Excavation of 2288 SF to a depth of 12" and haul off site.	1		2,964.00	2,964.00T
Install	Installation of play structure w/ sign, play shaper w/ sign per drawing #63244-1-6, 47 tuff timbers and 1 access ramp	1		10,931.25	10,931.25
Concrete	Provide 32 sq. ft. of 4" concrete sidewalk over sand base	1		510.00	510.00T
EWF-I	Engineered Wood Fiber - Installed	106		30.00	3,180.00T
discount	Special preffered customer discount			-282.66	-282.66
Tax Note	*If you are tax exempt please send form with order. Thank you.			0.00	0.00T
Proposal Good					
Ship Via: Con			Subto	otal	\$37,608.84
Please Call 24	Hours Prior To Delivery:				
Signature bel	low accepting this proposal will constitute a purchase order.		Sales	Tax (0.0%)	\$0.00
			Tota		\$37,608.84



All P.O.'s Contracts or Checks Payable to: Landscape Structures, Inc. 601 7th Street South Delano, MN 55328 USA

Proposal

Project #

3/28/2013 13-201-4

Date

Name / Address	
City of Novi Parks and Rec Scott Pratt 45175 West 10 Mile Road Novi, MI 48375 United States	

Ship To

MRC

For combined Lakeshore Playground and Rotary Playground Using HGACBuy

Customer C	ontact	Customer Phone	Customer Fax	Terms P.O. No			No.	Rep			
Scott Pra	att	(248) 347-0400	(248) 347-3286	Net 30				LAS			
Item		Descripti	on	Qty	Weight	Pr	rice	٦	Total		
PlayBooster 182503C	PlayBooste Welcome S	Park Playground er Playground per design # Sign Ages 5-12 Direct Bury rovided at no cost.	1	1 39,710.00 3			89,710.00T 0.00T				
PlayShaper 182503A	Custom Pl Welcome S	ayShaper Play Structure Pe Sign Ages 2-5 years Direct rovided at no cost.		1		2	23,395.00 0.00 23,395.00 0.0				
173596A 173595A	Log Baland Log Bench	ce Beam	1 1				2,730.00T 1,715.00T				
Freight	Freight	reight				2,500.00			2,500.00T		
PlayBooster 182503C PlayShaper 182503A	Rotary Park Playground Custom PlayBooster Playground per design # 63244-1-6-1 Welcome Sign Ages 5-12 Direct Bury - Typically \$250.00 provided at no cost Custom PlayShaper Play Structure Per Design #63244-1-6-2 Welcome Sign Ages 2-5 years Direct Bury - Typically \$250.00					2	40,770.00 0.00 5,970.00 0.00	2	0,770.00T 0.00T 5,970.00T 0.00T		
119214A 100626A 130799A Freight	welcone Sign Ages 2-5 years Direct Dary - Typicany 5250.00 provided at no cost Tuff Timbers 4' Length 30" Galvanized Stakes Tuff Timber Access Wedge Freight			47 50 1 1			39.00 10.00 650.00 2,000.00		1,833.00T 500.00T 650.00T 2,000.00T		
Proposal Good For 30 Days.					Subto	otal					
Ship Via: Common Carrier Please Call 24 hours prior to delivery: Signature below accepting this proposal will constitute a purchase order.					Sales	Tax	(0.0%)				
					Tota	l					

Superior Play, LLC 889 S. Old US 23 Brighton, MI 48114 P:810-229-6245 TF: 888-778-7529 Fax: 810-229-6256



All P.O.'s Contracts or Checks Payable to: Landscape Structures, Inc. 601 7th Street South Delano, MN 55328 USA



 Date
 Project #

 3/28/2013
 13-201-4

Name / Address
City of Novi Parks and Rec Scott Pratt 45175 West 10 Mile Road Novi, MI 48375 United States

Ship To

MRC For combined Lakeshore Playground and Rotary Playground Using HGACBuy

P.O. No. Customer Contact **Customer Phone** Customer Fax Terms Rep Scott Pratt (248) 347-0400 (248) 347-3286 Net 30 LAS Price Item Description Qty Weight Total Special Discount for purchase under HGACBuy Contract #11-12 -9,381.84 -9,381.84 discount In order to process the HGAC paperwork we will need: PO from the City or a supporting letter on their letterhead with which includes the following information: Items being purchased and amount (i.e. playground equipment per quote #13-201-2 for \$112,391.16) Name of vendor (Landscape Structures) HGACBuy Program Contract PR11-12 Signed by someone authorizing the city for the purchase Contact name with phone number and fax and/or e-mail for the person who should receive the order confirmation from HGAC *If you are tax exempt please send form with order. Thank you. 0.00 0.00T Tax Note Subtotal Proposal Good For 30 Days. \$112,391.16 Ship Via: Common Carrier Please Call 24 hours prior to delivery: Sales Tax (0.0%) \$0.00 Signature below accepting this proposal will constitute a purchase order.

Accepted By Customer

Superior Play, LLC 889 S. Old US 23 Brighton, MI 48114 P:810-229-6245 TF: 888-778-7529 Fax: 810-229-6256

Total

\$112,391.16





Matter and Martin





Better playgrounds. Better world."

playlsi.com



卿





















Better playgrounds. Better world."



playlsi.com







L'M







M landscape structures

Novi - Lakeshore Natural Playground

Model Information

March 28, 2013

63898-1-5-1



Double Poly Slide



Hole Panel



Storefront Panel



The Peak[™] Rock Climber




Rain Sound Wheel Panel[™]



The Stepper™ Rock Climber



Recycled Wood-Grain Lumber Panel



Trail Tracker® Reach Panel



Recycled Tree House Roof







Novi - Lakeshore Natural Playground

Model Information

March 28, 2013

63898-1-5-1



Log Balance Beam



Log Bench

Better playgrounds. Better world.™ playIsi.com



M landscape structures

Novi - Lakeshore Natural Playground

Model Information

March 28, 2013

63898-1-5-2



Firepole w/Recycled Wood-Grain Handholds



Log Stepper 40"- 48" Deck



Talk Tube



SlideWinder2 w/Tree Branch Support



Wood Plank Wiggle Ladder



Discovery Tree Climb




Recycled Wood-Grain Lumber Panel



Recycled Tree House Roof



Better playgrounds. Better world.™ playlsi.com



Sm landscape structures IPEMA CERTIFIED ASTM F1487 The play components identified on this plan are FEMA certified as model number is preceded at The use and loyout of these components conform to the requirements of ASTM F1457. THIS PLAY AREA & EQUIPMENT IS DESIGNED FOR AGES 2-12 YEARS UNLESS OTHERWISE NOTED ON PLAN. IT IS THE MANUFACTURERS OPINION THAT THIS PLAY AREA DOES CONFORM TO THE A.D.A. ACCESSIBILITY STANDARDS, ASSUMING AN ACCESSIBLE PROTECTME SURFACING IS PROVIDED, AS INDICATED, OR WITHIN THE ENTIRE USE ZONE. WITHIN THE ENTIRE USE ZORE THIS CONCEPTUAL FLAN WAS BASED ON INFORMATION AWALABLE TO US, PROKATION INFORMATION AWALABLE TO US, PROKATION INCLUDING STE DIMENSIONS, TOPOGRAPHY EXISTING UTLINES, SOIL CONDITIONS, AND DRAWAGE SOLUTIONS SHOULD BE OBTAINED, PREASE VERIFY ALL DIMENSIONS OF PLAY AREA. SZE ORDITATION, AND LOCKTON OF ALL EDISTING UTLINES, EDUPMENT, AND SITE FURNSHINGS PROR TO ORDERING. SULES SHOULD NOT FACE THE HOT AFTERNOON SUN. CHOOSE A PROTECTIVE SURFACING MATERIAL THAT HAS A CRITICAL HEIGHT YALUE TO MEET THE MAXIMUM FALL HEIGHT FOR THE EQUIPMENT (REF, ASTIM F1487 STANDARD CONSUMER SAFETY PERFORMANCE SPECIFICATION FOR PLAYGROUND EQUIPMENT FOR PUBLIC USE, SECTION & CURRENT REVISION). ACCESSIBLE/PROTECTIVE LOOSE FILL MATERIAL (ENGINEERED WOOD FIBER SUGGESTED) DESIGNED BY: SP QUOTE# 63898-1-5-2 (5-12 AREA) COPYRIGHT: 3/28/13 LANDSCAPE STRUCTURES, INC. 001 7h STREET SUCH - P.O. BOX 190 DELVIO, IMMESTA 80538 Pkt 1-400-325-0333 PAX 1-780-472-4091 REQUIRED 0 REQUIRED 3 3/26/1: 63898-1-4 SP 11/8/12 63898-1-1 SP 22 Date Previous Drawing # Initials SYSTEM TYPE: PlayBooster/PlayShaper 150 8014891-2804 DRAWING #: 63898-1-5

Novi, MI Lakeshore Park Playground




Map Produced Using the City of Novi, Michigan Internet Mapping Portal



Author: Scott A. Pratt Date: 4/3/2013

MAP INTERPRETATION NOTICE

Map information depicted is not intended to replace or substitute for any official or primary source. This map was intended to meet National Map Accuracy Standards and use the most recent, accurate sources available to the people of the City of Novi. Boundary measurements and area calculations are approximate and should not be construed as survey measurements performed by a licensed Michigan Surveyor as defined in Michigan Public Act 132 of 1970 as amended. Pleased contact the City GIS Manager to confirm source and accuracy information related to this map. This map was produced under the terms of the City's internet Site Use Policy available at http://cityothovi.org/Resources/SiteUsePolicy.asp











Better playgrounds. Better world."



playlsi.com

卿



















Better playgrounds. Better world.™



playlsi.com















M landscape structures

Novi - Rotary Park


Model Information

November 13, 2012

63244-1-4-2



Single Poly Slide



Wire Barrier



TuffTimbers[™] Access Wedge



Wiggle Ladder



Galvanized Stake (30")




Storefront Panel



TuffTimbers™

Better playgrounds. Better world.™ playIsi.com





Jan landscape structures IPEMA CERTIFIED ASTM P1487 The play components identified on this plan are FEMA certified. as model number is preceded of The use and loyout of these components conform to the requirements of ASTM F1457. THIS PLAY AREA & EQUIPMENT IS DESIGNED FOR AGES 2-12 YEARS UNLESS OTHERWISE NOTED ON PLAN. IT IS THE MANUFACTURERS OPINION THAT THIS PLAY AREA DOES CONFORM TO THE A.D.A. ACCESSIBILITY STANDARDS, ASSUMING AN ACCESSIBILITY STANDARDS, SURFACING IS PROVIDED, AS INDICATED, OR WITHIN THE ENTIRE USE ZONE. WITHIN THE EXTILE USE ZORE. THIS CONCEPTUAL PLAN WAS BASED ON INFORMATION AWALABLE TO US. PROR TO CONSTRUCTION, DETAILED STE INFORMATION INCLUDING STE DIMENSIONS, TOPOGRAPHY EXISTING UTLINES, SOIL CONDITIONS, AND DRAWAGE SOLUTIONS SHOULD BE OBTAINED, PALAGE VERY ALL DIMENSIONS OF PLAY AREA. SIZE ORDITATION, AND LOCKTON OF ALL EDISTING UTLINES, EDURMENT, AND SITE FURNSHINGS PROR TO ORDERING. SULDES SHOULD NOT FACE THE HOT AFTERNOON SUN. CHOOSE A PROTECTIVE SURFACING INATERIAL THAT HAS A CRITICAL HEICHT VALUE TO MEET THE MAXIMUM FALL HEIGHT FOR THE EQUIPMENT (REF, ASTIN 1480 STANDARD CONSUMER SAFETY PERFORMANCE SPECIFICATION FOR PLAYROUND EQUIPMENT FOR PUBLIC USE, SECTION 8 CURRENT REVISION). ACCESSIBLE/PROTECTIVE LOOSE FILL MATERIAL (ENGINEERED WOOD FIBER SUGGESTED) DESIGNED BY: SP COPYRIGHT: 11/12/12 LANDSCAPE STRUCTURES, INC. 601 7th STREET SOUTH - P.O. BOX 190 DELING, IMMESTA 80288 Pht 1-400-3250-0025 FAX: 1-400-872-4091 10/10/12 63244-1-3 SP 0 REQUIRED 0 10/10/12 63244-1-2 SP 3 REQUIRED 2 10/8/12 63244-1-1 SP REQUIRED Date Previous Drawing # Initials REQUIRED SYSTEM TYPE: PlayBooster 150 DRAWING #: 63244-1-4

Novi, MI Rotary Park Playground





Map Produced Using the City of Novi, Michigan Internet Mapping Portal 0 45 90 180 Feet 1 inch = 94 teet

Author: Scott A. Pratt Date: 4/3/2013

MAP INTERPRETATION NOTICE

Map information depicted is not intended to replace or substitute for any official or primary source. This map was intended to meet National Map Acouracy Standards and use the most recent, acourate sources available to the people of the City of Novi. Boundary measurements and area calculations are approximate and should not be construed as survey measurements performed by a licensed Michigan Surveyor as defined in Michigan Public Act 132 of 1970 as amended. Pleased contact the City GIS Manager to confirm source and accuracy information related to this map. This map was produced under the terms of the City shitement Site Use Policy available at http://cityofnovi.org/Resources/SiteUsePolicy.asp